Request for Proposals Homebuyers Program Housing Inspector City of Scranton Office of Economic and Community Development Scranton, Pennsylvania

The City of Scranton's Office of Economic and Community Development (OECD) manages the Homebuyer's Program that provides federal housing assistance to homebuyers under the HOME Program through the U. S. Department of Housing and Urban Development (HUD).

As part of the HOME housing assistance, the OECD is required to inspect all homebuyer program houses prior to occupancy by the homebuyer as to compliance with HUD's Housing Quality Standards, and other related standards (code and lead based paint) to show that housing units are decent, safe and sanitary.

The OECD is requesting proposals from qualified consultants to provide the required inspections for the Homebuyer Program, and to provide clean, concise and meaningful reporting related to the deficiencies indentified during the inspection.

Sealed Proposals will be received by the City Controller, 2nd floor, 340 North Washington Avenue, Municipal Building, Scranton, Pennsylvania until 2:00 p.m., Tuesday, November 1, 2011 for a Housing Inspector for the City of Scranton's Homebuyers Program through the Office of Economic and Community Development. Sealed Proposals will be opened at 2:00 p.m., Tuesday, November 1, 2011 in City Council Chambers, Municipal Building, 340 North Washington Avenue, Scranton, PA 18503.

The envelope must be sealed and include the following notation on the front, "REQUEST FOR PROPOSAL FOR HOMEBUYER PROGRAM PROPERTY STANDARDS AND HOUSING QUALITY STANDARDS INSPECTION SERVICES".

Responses to all proposals must be submitted with one signed original and two copies. You may obtain a copy of the proposal requirements to be submitted by contacting OECD at 570/348-4216 or download a copy of "Request for Proposal for Homebuyer Program Property Standards and Housing Quality Standards Inspection Services" by logging on to www.scrantonpa.gov (OECD).

Please include company name on the outside of the envelope. The proposals will be evaluated based on the criteria established in this proposal. Late proposals will not be opened. The OECD reserves the right to reject any and all proposals and to waive any informality whenever such rejection or waiver is deemed to be in the best interest of the OECD.

OECD requires that each respondent be an Equal Opportunity Employer: State that the respondent complies fully with all government regulations regarding nondiscriminatory employment practices.

All applicants must abide by the provision 24 CRF 570.611 with respect to conflicts of interest, and covenants that it presently has no financial interest and shall not acquire any financial interest, direct or indirect, which would conflict in any manner or degree with the performance of services required under this contract.

The City of Scranton reserves the right to reject any or all proposals or any part of any proposal in connection with the project. Proposals shall be submitted in compliance with Section 603 of the Administrative Code for the City of Scranton.

Envelopes containing proposals shall be delivered or mailed to the City Controller, Municipal Building, 340 North Washington Avenue, Scranton, Pennsylvania 18503. The City of Scranton and the Office of Economic and Community Development encourages proposals from minority and women owned businesses.

Linda B. Aebli

Executive Director

Office of Economic and Community Development

Request for Proposal

Homebuyer Program Code Standards and/or Housing Quality Standards Inspections

City of Scranton
Office of Economic and
Community Development

RFP Instructions:

The RFP is being issued, as well as any addendum by the OECD. The contact person for the OECD RFP is:

Liza Carroll
Director of Housing
City of Scranton-OECD
538 Spruce Street, Suite 812
Scranton, PA 18503
570/348-4216
Iskelton@scrantonpa.gov

The deadline for Submission in response to the Request for Proposal is no later than 2:00 p.m. on Tuesday, November 1, 2011. Late submittals will not be accepted.

If you have any questions regarding this proposal, they must be submitted in writing or email to Liza Carroll, at the OECD office. My email is lskelton@scrantonpa.gov. Responses to all proposals must be submitted with one signed original and one copy. Any general information not specifically relevant to the proposal shall be omitted or bound in a separate document. At a minimum, the proposal shall include the following

- Identification of the company or individual including name, address, telephone number, fax number, and email address;
- Insurance, certification of individuals (code and lead);
- Name, title, address and telephone number of contact person during the period of the evaluation process.

Proposals shall be submitted by mail to City Controller, Municipal building, 340 North Washington Avenue, Scranton, PA 18503.

The envelope must be sealed and include the following notation on the front, "REQUEST FOR PROPOSAL FOR HOMEBUYER PROGRAM PROPERTY STANDARDS AND HOUSING QUALITY STANDARDS INSPECTION SERVICES".

Please include company name on the outside of the envelope. The proposals will be evaluated based on the criteria established in this document. Late proposals will not be opened. The OECD reserves the right to reject any and all proposals and to waive any informalities whenever such rejection or waiver is deemed to be in the best interest of the OECD.

RFP Questions for Providers:

Organization and Personnel Background

Provide an overview of your company, emphasizing its qualifications and major organization strengths.

Experience

Discuss your experience, in serving a provider of Homebuyer Program property standards and housing quality standards inspection services.

Miscellaneous Discussion Questions

Identify the specific individuals who would be assigned to work with the OECD and specify which person would be the primary contact person with OECD.

Provide an estimate of the time that will be required to begin inspection services as outlined in Attachment A.

Price

Please provide fees required for various types of inspection services needed:

- Initial Inspection
- Return Inspection
- Or any additional fees that would be incurred

Affirmative Action

OECD requires that each respondent be an Equal Opportunity Employer: State that the respondent complies fully with all government regulations regarding nondiscriminatory employment practices.

Contractor Qualifications:

Proposals shall be considered from responsible organizations or individuals engaged in the performance of HUD HOME PROGRAM PROPERTY (CODE AND LEAD BASED PAINT) AND HOUSING QUALITY STANDARDS (HQS) INSPECTION SERVICES. Proposals must include information on competency in performing comparable Inspection services. The proposal shall furnish detailed background and experience with projects of a similar type and scope to include as a minimum (Attachment B):

- Brief history of the company;
- ❖ A listing of references where similar services were performed. The responder shall include the name of the organization, contact person, address, email and telephone number;
- Responder shall describe their understanding of the HUD HOME PROGRAM and scope of work.

Inspection Standards:

Inspections must comply with the HUD Housing Quality Standards regulation at 24 CFR 982.401 (Attachment D), lead based paint regulations at 24 CFR Part 35, Subparts A, B, M and R (Attachment E), HUD Program Guidebook 7420.10G (HQS Chapter 10) (Attachment F), Housing Inspection Manual, Section 8 Existing Housing Program HUD 605-H, and the Inspection Checklist (HUD-52580) (Attachment G).

Minimum Requirements:

- Certification to perform visual lead based paint evaluations. Copy of certification to accompany proposal;
- Certification of all five (5) Pennsylvania Department of Labor and Industry Residential inspector certification. Proof of certification must accompany proposal;
- Maintain \$1,000,000.00 Professional liability insurance (including errors and omissions) which includes lead-pollution coverage. Submit certificate of liability insurance along with proposal;
- Maintain workers compensation insurance. Submit a copy of certificate along with proposal.

Selection Criteria:

The firm determined by the OECD to be the most qualified in terms of actual demonstrable experience, knowledge, and perceived benefit to the OECD's objectives will be selected.

Evaluation Criteria:

Proposals will be evaluated to determine the extent to which the firm meets the needs of the OECD. Evaluation will include a review of proposals, or other methods sufficient to make a decision in the best interest of the OECD.

The following point values will be used for evaluation purposes:

- Experience of the Responder: Demonstrated experience of the respondent's company, including specific professionals and employees. Include in the listing shall be information demonstrating the respondent's experience in conducting HUD HOME PROGRAM PROPERTY (CODE) AND HQS INSPECTIONS;
- Qualifications
- Quality of Technical Proposal: Thoroughness of actual submission and methology;
- Cost of Services: The fees identified for services outlined in this RFP.

RFP Conditions:

<u>Clarification to Proposal:</u> OECD reserves the right to obtain clarification of any point in a company's proposal or to obtain additional information necessary to properly evaluate a particular proposal. Failure of a proposer to respond to such request for additional information or clarification could result in rejection of the company's response.

<u>Cancellation of the RFP:</u> OECD reserves the right to cancel the RFP at any time, for any reason, and without liability if cancellation is deemed to be in the best interest of the OECD. The respondent assumes the sole risk and responsibility for all expenses connected with the preparation of its proposal.

<u>Contacts:</u> All questions concerning the RFP shall be directed to Liza Carroll, Director of Housing, City of Scranton, OECD 570/348-4216 ext. 112

Insurance Requirements:

Certificate of Liability Insurance, minimum policy coverage of \$1,000,000.00 with the OECD named as an additional insured on the policy.

The limits of liability for the insurance required under this contract shall not be less than as follows:

Workman's Compensation

\$1,000,000.00

Employer's Liability

Contractor's Liability Insurance

\$1,000,000.00

General Aggregate

Contract Conditions:

<u>Contract Terms and Final Selection:</u> The selected firm will be executed to sign the OECD Contractual Agreement, which will specify the terms of service. If the selected application and the OECD cannot come to terms with respect to the contract, the OECD reserves the right to select the next most qualified applicant or to termite this RFP and re-issue a new RFP if no Proposer is acceptable to the OECD.

HOME PROGRAM CONFLICT OF INTEREST:

"Home Program" refers to the funding program created under federal law (42 United States Code Sec. 12701, et seq.) whereby the United States Department of Housing and Urban Development ("HUD") allocates funds to the City of Scranton ("CITY") to expand the supply of decent, safe, sanitary and affordable housing for low-income families. The purpose of this questionnaire is to comply with the HUD regulations regarding possible conflict of interest (24 CODE of Federal Regulations Sec. 92.356). (Attachment C)

ATTACHMENT A

Inspection Services Scope of Work

Schedule of Inspections:

The consultant will be responsible for the scheduling of all inspections in accordance with industry best practices and standard operating procedures. The firm selected will be responsible for telephone, vehicle, insurance and other cost associated with inspection services.

Inspections:

Conduct inspections in accordance with HUD Housing Quality Standards as found in 24 CFR 982.401, lead based paint regulations found in 24 CFR Part 35, other HUD documents listed below, and the OECD-HUD FUNDED HOMEBUYER PROGRAM.

All units must be inspected in accordance with HUD's Housing Quality Standards (24 CFR 982.401), lead based paint regulation (24 CFR Part 35, Parts A, B, M, and R), HUD's Housing Program Guidebook, 7420.10G, the Housing Inspection Manual: Section 8 Existing Housing Program, and the HUD inspection Checklist.

ATTACHMENT B

PROPOSAL FORM

	osai: CITY OF SCRANTON, PENNSYLVANIA OECD HUD FUNDED EBUYER PROGRAM PROPERTY STANDARDS/CODE AND HOUSING LITY STANDARDS (HQS) INSPECTION SERVICES.
Vend	or Name:
То:	City of Scranton-OECD 538 Spruce Street, Suite 812 Scranton, Pennsylvania 18503 570/348-4216
1.	The undersigned, having familiarized themselves with all conditions affecting the cost of work, and with all the specifications, hereby propose to furnish all labor, materials, equipment and services required to provide such services described in the scope of work in accordance therewith, for the sum of:
	Initial Inspection \$ per inspection
	Follow up inspections to verify compliance and completion of required work:
	\$per inspection
2.	In submitting this proposal it is understood that the right is reserved by the OECD to reject any and all proposals. If written notice of the acceptance of this proposal is mailed, or faxed to the undersigned within 30 days after the opening, thereof, or at any time thereafter this proposal is withdrawn, the undersigned agrees to a contract/agreement in the prescribed form and furnish any required insurance requirements within 10 days after the contract is presented for

signature.

Date:			
	e:		
Ву:		 	
Telephone Nur			
Email: _			
Address: _		 	
		 RANCES WITH THIS PR	ROPSAL?
	VES	NO	

ATTACHMENT C

HOME PROGRAM CONFLICT OF INTEREST QUESTIONNAIRE

"Home Program" refers to the funding program created under federal law (42 United States Code Sec. 12701, et seq.) whereby the United States Department of Housing and Urban Development ("HUD") allocates funds to the City of Scranton ("CITY") to expand the supply of decent, safe, sanitary and affordable housing for low-income families. The purpose of this questionnaire is to comply with the HUD regulations regarding possible conflict of interest (24 CODE of Federal Regulations Sec. 92.356).

A. Are you: 1. An Employee of the City of Scranton YES NO Initial 2. An Agency of the City of Scranton YES NO Initial 3. Consultant for the City of Scranton YES NO Initial 4. Officer of the City of Scranton YES NO Initial 5. Elected Officer of the City of Scranton YES NO Initial 6. Appointed official of the City of Scranton YES NO Initial 7. A public agency or nonprofit organization Selected by the City of Scranton to administer The HOME Program on behalf of the City Of Scranton YE\$ NO Initial B. Do you: Exercise HOME Program functions or Responsibilities YES NO Initial 2. Have you exercised HOME Program Functions or responsibilities in the past One (1) year YES NO Initial____ 3. Hold or are you in a position to participate In HOME Program decision-making YES NO Initial 4. Have you access to gain inside information Regarding HOME Program activity YES NO Initial C. Do any of the above categories in A and B apply to: 1. You NO YES Initial 2. A family member, i.e. spouse, parent (including steps), child (including steps), Brother or sister (including steps), grandparents, Grandchild YES NO Initial 3. A business associate YES NO Initial

Is this	wer the following question: application being submitted during you year thereafter	r tenure in any pos YES		tion A above nitial
Please note the officer or an housing assistant	hat if you answered "YES" to sectio elected or appointed official of the stance.	n A. 4., 5., or 6. A City of Scranton	bove, i.e., i , you are i	if you are an ineligible for
GROUNDS FO	ND THAT A FALSE STATEMENT OR REJECTION OF MY APPLICATION EMENT MAY RESULT IN A FINE OR II	ON FOR ASSISTA	STIONNAIF NCE. !N /	RE MAY BE ADDITION, A
DATE:				
APPLIANT:		. 40,44		
potential confi considered for procedures ad	hat if it is determined that my applicat lict of interest under applicable fed an exception, in which case my applica- lopted by the City of Scranton and application in the consent to such public disclosure.	eral regulations, r cation will be public	ny applica dy disclose	tion may be d pursuant to
DATE:	NATURAL DESCRIPTION OF THE PROPERTY OF THE PRO			
APPLIANT:	Washington A.	····		

ATTACHMENT D

for the portable family. The amount of the housing assistance payment for a portable family in the receiving PHA program is determined in the same manner as for other families in the receiving PHA program.

- (3) The initial PHA must promptly reimburse the receiving PHA for 80 percent of the initial PHA on-going administrative fee for each unit month that the family receives assistance under the tenant-based programs from the receiving PHA. If both PHAs agree, the PHAs may negotiate a different amount of reimbursement.
- (4) HUD may reduce the administrative fee to an initial or receiving PHA if the PHA does not comply with HUD portability requirements.
- (5) In administration of portability, the initial PHA and the receiving PHA must comply with financial procedures required by HUD, including the use of HUD-required billing forms. The initial and receiving PHA must comply with billing and payment deadlines under the financial procedures.
- (6) a PHA must manage the PHA tenant-based program in a manner that ensures that the PHA has the financial ability to provide assistance for families that move out of the PHA program under the portability procedures that have not been absorbed by the receiving PHA, as well as for families that remain in the PHA program.
- (7) When a portable family moves out of the tenant-based program of a receiving PHA that has not absorbed the family, the PHA in the new jurisdiction to which the family moves becomes the receiving PHA, and the first receiving PHA is no longer required to provide assistance for the family.
- (f) Portability funding. (1) HUD may transfer funds for assistance to portable families to the receiving PHA from funds available under the initial PHA ACC.
- (2) HUD may provide additional funding (e.g., funds for incremental units) to the initial PHA for funds transferred to a receiving PHA for portability purposes.
- (3) HUD may provide additional funding (e.g., funds for incremental units) to the receiving PHA for absorption of portable families.

(4) HUD may require the receiving PHA to absorb portable families.

[60 FR 34695, July 3, 1995, as amended at 61 FR 27163, May 30, 1996; 64 FR 26646, May 14, 1999; 64 FR 56914, Oct. 21, 1999]

Subpart I—Dwelling Unit: Housing Quality Standards, Subsidy Standards, Inspection and Maintenance

SOURCE: 60 FR 34695, July 3, 1995, unless otherwise noted.

§982.401 Housing quality standards (HQS).

- (a) Performance and acceptability requirements. (1) This section states the housing quality standards (HQS) for housing assisted in the programs.
 - (2)(i) The HQS consist of:
 - (A) Performance requirements; and
- (B) Acceptability criteria or HUD approved variations in the acceptability criteria.
- (ii) This section states performance and acceptability criteria for these key aspects of housing quality:
 - (A) Sanitary facilities;
- (B) Food preparation and refuse disposal:
 - (C) Space and security;
- (D) Thermal environment;
- (E) Illumination and electricity;
- (F) Structure and materials;
- (G) Interior air quality;(H) Water supply;
- (n) water supply;
- (I) Lead-based paint;
- (J) Access;(K) Site and neighborhood;
- (L) Sanitary condition; and
- (M) Smoke detectors.
- (3) All program housing must meet the HQS performance requirements both at commencement of assisted occupancy, and throughout the assisted tenancy.
- (4)(i) In addition to meeting HQS performance requirements, the housing must meet the acceptability criteria stated in this section, unless variations are approved by HUD.
- (ii) HUD may approve acceptability criteria variations for the following purposes:
- (A) Variations which apply standards in local housing codes or other codes adopted by the PHA; or

- (B) Variations because of local climatic or geographic conditions.
- (iii) Acceptability criteria variations may only be approved by HUD pursuant to paragraph (a)(4)(ii) of this section if such variations either:
- (A) Meet or exceed the performance requirements; or
- (B) Significantly expand affordable housing opportunities for families assisted under the program,
- (iv) HUD will not approve any acceptability criteria variation if HUD believes that such variation is likely to adversely affect the health or safety of participant families, or severely restrict housing choice.
- (b) Sanitary facilities—(1) Performance requirements. The dwelling unit must include sanitary facilities located in the unit. The sanitary facilities must be in proper operating condition, and adequate for personal cleanliness and the disposal of human waste. The sanitary facilities must be usable in privacy.
- (2) Acceptability criteria. (i) The bathroom must be located in a separate private room and have a flush toilet in proper operating condition.
- (ii) The dwelling unit must have a fixed basin in proper operating condition, with a sink trap and hot and cold running water.
- (iii) The dwelling unit must have a shower or a tub in proper operating condition with hot and cold running water.
- (iv) The facilities must utilize an approvable public or private disposal system (including a locally approvable septic system).
- (c) Food preparation and refuse disposal—(1) Performance requirement. (i) The dwelling unit must have suitable space and equipment to store, prepare, and serve foods in a sanitary manner.
- (ii) There must be adequate facilities and services for the sanitary disposal of food wastes and refuse, including facilities for temporary storage where necessary (e.g., garbage cans).
- (2) Acceptability criteria. (i) The dwelling unit must have an oven, and a stove or range, and a refrigerator of appropriate size for the family. All of the equipment must be in proper operating condition. The equipment may be supplied by either the owner or the family.

- A microwave oven may be substituted for a tenant-supplied oven and stove or range. A microwave oven may be substituted for an owner-supplied oven and stove or range if the tenant agrees and microwave ovens are furnished instead of an oven and stove or range to both subsidized and unsubsidized tenants in the building or premises.
- (ii) The dwelling unit must have a kitchen sink in proper operating condition, with a sink trap and hot and cold running water. The sink must drain into an approvable public or private system.
- (iii) The dwelling unit must have space for the storage, preparation, and serving of food.
- (iv) There must be facilities and services for the sanitary disposal of food waste and refuse, including temporary storage facilities where necessary (e.g., garbage cans).
- (d) Space and security—(1) Performance requirement. The dwelling unit must provide adequate space and security for the family.
- (2) Acceptability criteria. (i) At a minimum, the dwelling unit must have a living room, a kitchen area, and a bathroom.
- (ii) The dwelling unit must have at least one bedroom or living/sleeping room for each two persons. Children of opposite sex, other than very young children, may not be required to occupy the same bedroom or living/sleeping room.
- (iii) Dwelling unit windows that are accessible from the outside, such as basement, first floor, and fire escape windows, must be lockable (such as window units with sash pins or sash locks, and combination windows with latches). Windows that are nailed shut are acceptable only if these windows are not needed for ventilation or as an alternate exit in case of fire.
- (iv) The exterior doors of the dwelling unit must be lockable. Exterior doors are doors by which someone can enter or exit the dwelling unit.
- (e) Thermal environment—(1) Performance requirement. The dwelling unit must have and be capable of maintaining a thermal environment healthy for the human body.
- (2) Acceptability criteria. (i) There must be a safe system for heating the

dwelling unit (and a safe cooling system, where present). The system must be in proper operating condition. The system must be able to provide adequate heat (and cooling, if applicable), either directly or indirectly, to each room, in order to assure a healthy living environment appropriate to the climate.

- (ii) The dwelling unit must not contain unvented room heaters that burn gas, oil, or kerosene. Electric heaters are acceptable.
- (f) Illumination and electricity—(1) Performance requirement. Each room must have adequate natural or artificial illumination to permit normal indoor activities and to support the health and safety of occupants. The dwelling unit must have sufficient electrical sources so occupants can use essential electrical appliances. The electrical fixtures and wiring must ensure safety from fire.
- (2) Acceptability criteria. (i) There must be at least one window in the living room and in each sleeping room.
- (ii) The kitchen area and the bathroom must have a permanent ceiling or wall light fixture in proper operating condition. The kitchen area must also have at least one electrical outlet in proper operating condition.
- (iii) The living room and each bedroom must have at least two electrical outlets in proper operating condition. Permanent overhead or wall-mounted light fixtures may count as one of the required electrical outlets.
- (g) Structure and materials—(1) Performance requirement. The dwelling unit must be structurally sound. The structure must not present any threat to the health and safety of the occupants and must protect the occupants from the environment.
- (2) Acceptability criteria. (i) Ceilings, walls, and floors must not have any serious defects such as severe bulging or leaning, large holes, loose surface materials, severe buckling, missing parts, or other serious damage.
- (ii) The roof must be structurally sound and weathertight.
- (iii) The exterior wall structure and surface must not have any serious defects such as serious leaning, buckling, sagging, large holes, or defects that

may result in air infiltration or vermin infestation.

- (iv) The condition and equipment of interior and exterior stairs, halls, porches, walkways, etc., must not present a danger of tripping and falling. For example, broken or missing steps or loose boards are unacceptable.
- (v) Elevators must be working and safe.
- (h) Interior air quality—(1) Performance requirement. The dwelling unit must be free of pollutants in the air at levels that threaten the health of the occupants.
- (2) Acceptability criteria. (i) The dwelling unit must be free from dangerous levels of air pollution from carbon monoxide, sewer gas, fuel gas, dust, and other harmful pollutants.
- (ii) There must be adequate air circulation in the dwelling unit.
- (iii) Bathroom areas must have one openable window or other adequate exhaust ventilation.
- (iv) Any room used for sleeping must have at least one window. If the window is designed to be openable, the window must work.
- (i) Water supply—(1) Performance requirement. The water supply must be free from contamination.
- (2) Acceptability criteria. The dwelling unit must be served by an approvable public or private water supply that is sanitary and free from contamination.
- (j) Lead-based paint performance requirement. The Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821-4846), the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4851-4856), and implementing regulations at part 35, subparts A, B, M, and R of this title apply to units assisted under this part.
- (k) Access performance requirement. The dwelling unit must be able to be used and maintained without unauthorized use of other private properties. The building must provide an alternate means of exit in case of fire (such as fire stairs or egress through windows).
- (1) Site and Neighborhood—(1) Performance requirement. The site and neighborhood must be reasonably free from disturbing noises and reverberations and other dangers to the health, safety, and general welfare of the occupants.

- (2) Acceptability criteria. The site and neighborhood may not be subject to serious adverse environmental conditions, natural or manmade, such as dangerous walks or steps; instability; flooding, poor drainage, septic tank back-ups or sewage hazards; mudslides; abnormal air pollution, smoke or dust; excessive noise, vibration or vehicular traffic; excessive accumulations of trash; vermin or rodent infestation; or fire hazards.
- (m) Sanitary condition—(1) Performance requirement. The dwelling unit and its equipment must be in sanitary condition.
- (2) Acceptability criteria. The dwelling unit and its equipment must be free of vermin and rodent infestation.
- (n) Smoke detectors performance requirement—(1) Except as provided in paragraph (n)(2) of this section, each dwelling unit must have at least one battery-operated or hard-wired smoke detector, in proper operating condition, on each level of the dwelling unit, including basements but excepting crawl spaces and unfinished attics. Smoke detectors must be installed in accordance with and meet the requirements of the National Fire Protection Association Standard (NFPA) 74 (or its successor standards). If the dwelling unit is occupied by any hearing-impaired person, - smoke detectors must have an alarm system, designed for hearing-impaired persons as specified in NFPA 74 (or successor standards).
- (2) For units assisted prior to April 24, 1993, owners who installed batteryoperated or hard-wired smoke detectors prior to April 24, 1993 in compliance with HUD's smoke detector requirements, including the regulations published on July 30, 1992, (57 FR 33846). will not be required subsequently to comply with any additional requirements mandated by NFPA 74 (i.e., the owner would not be required to install a smoke detector in a basement not used for living purposes, nor would the owner be required to change the location of the smoke detectors that have already been installed on the other floors of the unit).

[60 FR 34695, July 3, 1995, as amended at 61 FR 27163, May 30, 1996; 63 FR 23861, Apr. 30, 1998; 64 FR 26646, May 14, 1999; 64 FR 49658, Sept. 14, 1999; 64 FR 50230, Sept. 15, 1999]

§ 982.402 Subsidy standards.

- (a) Purpose. (1) The PHA must establish subsidy standards that determine the number of bedrooms needed for families of different sizes and compositions.
- (2) For each family, the PHA determines the appropriate number of bedrooms under the PHA subsidy standards (family unit size).
- (3) The family unit size number is entered on the voucher issued to the family. The PHA issues the family a voucher for the family unit size when a family is selected for participation in the program.
- (b) Determining family unit size. The following requirements apply when the PHA determines family unit size under the PHA subsidy standards:
- (1) The subsidy standards must provide for the smallest number of bedrooms needed to house a family without overcrowding.
- (2) The subsidy standards must be consistent with space requirements under the housing quality standards (See § 982.401(d)).
- (3) The subsidy standards must be applied consistently for all families of like size and composition.
- (4) A child who is temporarily away from the home because of placement in foster care is considered a member of the family in determining the family unit size.
- (5) A family that consists of a pregnant woman (with no other persons) must be treated as a two-person family.
- (6) Any live-in aide (approved by the PHA to reside in the unit to care for a family member who is disabled or is at least 50 years of age) must be counted in determining the family unit size:
- (7) Unless a live-in-aide resides with the family, the family unit size for any family consisting of a single person must be either a zero or one-bedroom unit, as determined under the PHA subsidy standards.
- (8) In determining family unit size for a particular family, the PHA may grant an exception to its established subsidy standards if the PHA determines that the exception is justified by the age, sex, health, handicap, or relationship of family members or other personal circumstances. (For a single

ATTACHMENT E

24 CFR Part 35

Subpart A—Disclosure of Known Lead-Based Paint and/or Lead-Based Paint Hazards Upon Sale or Lease of Residential Property

Source: 61 FR 9082, Mar. 6, 1996, unless otherwise noted. Re-designated at 64 FR 50201, Sept. 15, 1999.

§ 35.80 Purpose.

This subpart implements the provisions of 42 U.S.C. 4852d, which impose certain requirements on the sale or lease of target housing. Under this subpart, a seller or lessor of target housing shall disclose to the purchaser or lessee the presence of any known lead-based paint and/or lead-based paint hazards; provide available records and reports; provide the purchaser or lessee with a lead hazard information pamphlet; give purchasers a 10-day opportunity to conduct a risk assessment or inspection; and attach specific disclosure and warning language to the sales or leasing contract before the purchaser or lessee is obligated under a contract to purchase or lease target housing.

§ 35.82 Scope and applicability.

This subpart applies to all transactions to sell or lease target housing, including subleases, with the exception of the following:

- (a) Sales of target housing at foreclosure.
- (b) Leases of target housing that have been found to be lead-based paint free by an inspector certified under the Federal certification program or under a federally accredited State or tribal certification program. Until a Federal certification program or federally accredited State certification program is in place within the State, inspectors shall be considered qualified to conduct an inspection for this purpose if they have received certification under any existing State or tribal inspector certification program. The lessor has the option of using the results of additional test(s) by a certified inspector to confirm or refute a prior finding.
- (c) Short-term leases of 100 days or less, where no lease renewal or extension can occur.
- (d) Renewals of existing leases in target housing in which the lessor has previously disclosed all information required under §35.88 and where no new information described in §35.88 has come into the possession of the lessor. For the purposes of this paragraph, renewal shall include both renegotiation of existing lease terms and/or ratification of a new lease.

§ 35.84 Effective dates.

The requirements in this subpart take effect in the following manner:

- (a) For owners of more than four residential dwellings, the requirements shall take effect on September 6, 1996.
- (b) For owners of one to four residential dwellings, the requirements shall take effect on December 6, 1996.

§ 35.86 Definitions.

The following definitions apply to this subpart.

The Act means the Residential Lead-Based Paint Hazard Reduction Act of 1992, 42 U.S.C. 4852d.

Agent means any party who enters into a contract with a seller or lessor, including any party who enters into a contract with a representative of the seller or lessor, for the purpose of selling or leasing target housing. This term does not apply to purchasers or any purchaser's representative who receives all compensation from the purchaser.

Available means in the possession of or reasonably obtainable by the seller or lessor at the time of the disclosure.

Common area means a portion of a building generally accessible to all residents/users including, but not limited to, hallways, stairways, laundry and recreational rooms, playgrounds, community centers, and boundary fences.

Contract for the purchase and sale of residential real property means any contract or agreement in which one party agrees to purchase an interest in real property on which there is situated one or more residential dwellings used or occupied, or intended to be used or occupied, in whole or in part, as the home or residence of one or more persons.

EPA means the Environmental Protection Agency.

Evaluation means a risk assessment and/or inspection.

Foreclosure means any of the various methods, statutory or otherwise, known in different jurisdictions, of enforcing payment of a debt, by the taking and selling of real property.

Housing for the elderly means retirement communities or similar types of housing reserved for households composed of one or more persons 62 years of age or more at the time of initial occupancy.

Inspection means:

- (1) A surface-by-surface investigation to determine the presence of lead-based paint as provided in section 302(c) of the Lead-Based Paint Poisoning and Prevention Act [42 U.S.C. 4822], and
- (2) The provision of a report explaining the results of the investigation.

Lead-based paint means paint or other surface coatings that contain lead equal to or in excess of 1.0 milligram per square centimeter or 0.5 percent by weight.

Lead-based paint free housing means target housing that has been found to be free of paint or other surface coatings that contain lead equal to or in excess of 1.0 milligram per square centimeter or 0.5 percent by weight.

Lead-based paint hazard means any condition that causes exposure to lead from lead-contaminated dust, lead-contaminated soil, or lead-contaminated paint that is deteriorated or present in accessible surfaces, friction surfaces, or impact surfaces that would result in adverse human health effects as established by the appropriate Federal agency.

Lessee means any entity that enters into an agreement to lease, rent, or sublease target housing, including but not limited to individuals, partnerships, corporations, trusts, government agencies, housing agencies, Indian tribes, and nonprofit organizations.

Lessor means any entity that offers target housing for lease, rent, or sublease, including but not limited to individuals, partnerships, corporations, trusts, government agencies, housing agencies, Indian tribes, and nonprofit organizations.

Owner means any entity that has legal title to target housing, including but not limited to individuals, partnerships, corporations, trusts, government agencies, housing agencies, Indian tribes, and nonprofit organizations, except where a mortgagee holds legal title to property serving as collateral for a mortgage loan, in which case the owner would be the mortgagor.

Purchaser means an entity that enters into an agreement to purchase an interest in target housing, including but not limited to individuals, partnerships, corporations, trusts, government agencies, housing agencies, Indian tribes, and nonprofit organizations.

Reduction means measures designed to reduce or eliminate human exposure to lead-based paint hazards through methods including interim controls and abatement.

Residential dwelling means:

- (1) A single-family dwelling, including attached structures such as porches and stoops; or
- (2) A single-family dwelling unit in a structure that contains more than one separate residential dwelling unit, and in which each such unit is used or occupied, or intended to be used or occupied, in whole or in part, as the residence of one or more persons.

Risk assessment means an on-site investigation to determine and report the existence, nature, severity, and location of lead-based paint hazards in residential dwellings, including:

- (1) Information gathering regarding the age and history of the housing and occupancy by children under age 6;
- (2) Visual inspection;
- (3) Limited wipe sampling or other environmental sampling techniques;
- (4) Other activity as may be appropriate; and
- (5) Provision of a report explaining the results of the investigation.

Seller means any entity that transfers legal title to target housing, in whole or in part, in return for consideration, including but not limited to individuals, partnerships, corporations, trusts, government agencies, housing agencies, Indian tribes, and nonprofit organizations. The term "seller" also includes:

(1) An entity that transfers shares in a cooperatively owned project, in return for consideration; and

(2) An entity that transfers its interest in a leasehold, in jurisdictions or circumstances where it is legally permissible to separate the fee title from the title to the improvement, in return for consideration.

Target housing means any housing constructed prior to 1978, except housing for the elderly or persons with disabilities (unless any child who is less than 6 years of age resides or is expected to reside in such housing) or any 0-bedroom dwelling.

TSCA means the Toxic Substances Control Act, 15 U.S.C. 2601.

0-bedroom dwelling means any residential dwelling in which the living area is not separated from the sleeping area. The term includes efficiencies, studio apartments, dormitory housing, military barracks, and rentals of individual rooms in residential dwellings.

§ 35.88 Disclosure requirements for sellers and lessors.

- (a) The following activities shall be completed before the purchaser or lessee is obligated under any contract to purchase or lease target housing that is not otherwise an exempt transaction pursuant to §35.82. Nothing in this section implies a positive obligation on the seller or lessor to conduct any evaluation or reduction activities.
- (1) The seller or lessor shall provide the purchaser or lessee with an EPA-approved lead hazard information pamphlet. Such pamphlets include the EPA document entitled *Protect Your Family From Lead in Your Home* (EPA ~747-K-94-001) or an equivalent pamphlet that has been approved for use in that State by EPA.
- (2) The seller or lessor shall disclose to the purchaser or lessee the presence of any known lead-based paint and/or lead-based paint hazards in the target housing being sold or leased. The seller or lessor shall also disclose any additional information available concerning the known lead-based paint and/or lead-based paint hazards, such as the basis for the determination that lead-based paint and/or lead-based paint hazards exist, the location of the lead-based paint and/or lead-based paint hazards, and the condition of the painted surfaces.
- (3) The seller or lessor shall disclose to each agent the presence of any known lead-based paint and/or lead-based paint hazards in the target housing being sold or leased and the existence of any available records or reports pertaining to lead-based paint and/or lead-based paint hazards. The seller or lessor shall also disclose any additional information available concerning the known lead-based paint and/or lead-based paint hazards, such as the basis for the determination that lead-based paint and/or lead-based paint hazards exist, the location of the lead-based paint and/or lead-based paint hazards, and the condition of the painted surfaces.
- (4) The seller or lessor shall provide the purchaser or lessee with any records or reports available to the seller or lessor pertaining to lead-based paint and/or lead-based paint hazards in the target housing being sold or leased. This requirement includes records and reports regarding common areas. This requirement also includes records and reports regarding other residential dwellings in multifamily target housing, provided that such information is part of an evaluation or reduction of lead-based paint and/or lead-based paint hazards in the target housing as a whole.
- (b) If any of the disclosure activities identified in paragraph (a) of this section occurs after the purchaser or lessee has provided an offer to purchase or lease the housing, the seller or lessor shall complete the required disclosure activities prior to accepting the purchaser's or lessee's offer and allow the purchaser or lessee an opportunity to review the information and possibly amend the offer.

(Approved by the Office of Management and Budget under control number 2070-0151)

[61 FR 9082, Mar. 6, 1996, as amended at 64 FR 14382, Mar. 25, 1999]

§ 35.90 Opportunity to conduct an evaluation.

- (a) Before a purchaser is obligated under any contract to purchase target housing, the seller shall permit the purchaser a 10-day period (unless the parties mutually agree, in writing, upon a different period of time) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.
- (b) Notwithstanding paragraph (a) of this section, a purchaser may waive the opportunity to conduct the risk assessment or inspection by so indicating in writing.

(Approved by the Office of Management and Budget under control number 2070–0151)

[61 FR 9082, Mar. 6, 1996, as amended at 64 FR 14382, Mar. 25, 1999]

§ 35.92 Certification and acknowledgment of disclosure.

- (a) Seller requirements. Each contract to sell target housing shall include an attachment containing the following elements, in the language of the contract (e.g., English, Spanish):
- (1) A Lead Warning Statement consisting of the following language:

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

- (2) A statement by the seller disclosing the presence of known lead-based paint and/or lead-based paint hazards in the target housing being sold or indicating no knowledge of the presence of lead-based paint and/or lead-based paint hazards. The seller shall also provide any additional information available concerning the known lead-based paint and/or lead-based paint hazards, such as the basis for the determination that lead-based paint and/or lead-based paint hazards exist, the location of the lead-based paint and/or lead-based paint hazards, and the condition of the painted surfaces.
- (3) A list of any records or reports available to the seller pertaining to lead-based paint and/or lead-based paint hazards in the housing that have been provided to the purchaser. If no such records or reports are available, the seller shall so indicate.
- (4) A statement by the purchaser affirming receipt of the information set out in paragraphs (a)(2) and (a)(3) of this section and the lead hazard information pamphlet required under section 15 U.S.C. 2696.
- (5) A statement by the purchaser that he/she has either:

- (i) Received the opportunity to conduct the risk assessment or inspection required by §35.90(a); or
- (ii) Waived the opportunity.
- (6) When any agent is involved in the transaction to sell target housing on behalf of the seller, a statement that:
- (i) The agent has informed the seller of the seller's obligations under 42 U.S.C. 4852d; and
- (ii) The agent is aware of his/her duty to ensure compliance with the requirements of this subpart.
- (7) The signatures of the sellers, agents, and purchasers, certifying to the accuracy of their statements, to the best of their knowledge, along with the dates of signature.
- (b) Lessor requirements. Each contract to lease target housing shall include, as an attachment or within the contract, the following elements, in the language of the contract (e.g., English, Spanish):
- (1) A Lead Warning Statement with the following language:

Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.

- (2) A statement by the lessor disclosing the presence of known lead-based paint and/or lead-based paint hazards in the target housing being leased or indicating no knowledge of the presence of lead-based paint and/or lead-based paint hazards. The lessor shall also disclose any additional information available concerning the known lead-based paint and/or lead-based paint hazards, such as the basis for the determination that lead-based paint and/or lead-based paint hazards exist in the housing, the location of the lead-based paint and/or lead-based paint hazards, and the condition of the painted surfaces.
- (3) A list of any records or reports available to the lessor pertaining to lead-based paint and/or lead-based paint hazards in the housing that have been provided to the lessee. If no such records or reports are available, the lessor shall so indicate.
- (4) A statement by the lessee affirming receipt of the information set out in paragraphs (b)(2) and (b)(3) of this section and the lead hazard information pamphlet required under 15 U.S.C. 2696.
- (5) When any agent is involved in the transaction to lease target housing on behalf of the lessor, a statement that:
- (i) The agent has informed the lessor of the lessor's obligations under 42 U.S.C. 4852d; and
- (ii) The agent is aware of his/her duty to ensure compliance with the requirements of this subpart.
- (6) The signatures of the lessors, agents, and lessees certifying to the accuracy of their statements to the best of their knowledge, along with the dates of signature.

- (c) Retention of certification and acknowledgment information. (1) The seller, and any agent, shall retain a copy of the completed attachment required under paragraph (a) of this section for no less than 3 years from the completion date of the sale. The lessor, and any agent, shall retain a copy of the completed attachment or lease contract containing the information required under paragraph (b) of this section for no less than 3 years from the commencement of the leasing period.
- (2) This recordkeeping requirement is not intended to place any limitations on civil suits under the Act, or to otherwise affect a lessee's or purchaser's rights under the civil penalty provisions of 42 U.S.C. 4852d(b)(3).
- (d) The seller, lessor, or agent shall not be responsible for the failure of a purchaser's or lessee's legal representative (where such representative receives all compensation from the purchaser or lessee) to transmit disclosure materials to the purchaser or lessee, provided that all required parties have completed and signed the necessary certification and acknowledgment language required under paragraphs (a) and (b) of this section.

(Approved by the Office of Management and Budget under control number 2070-0151)

[61 FR 9082, Mar. 6, 1996, as amended at 64 FR 14382, Mar. 25, 1999]

§ 35.94 Agent responsibilities.

- (a) Each agent shall ensure compliance with all requirements of this subpart. To ensure compliance, the agent shall:
- (1) Inform the seller or lessor of his/her obligations under §§35.88, 35.90, and 35.92.
- (2) Ensure that the seller or lessor has performed all activities required under §§35.88, 35.90, and 35.92, or personally ensure compliance with the requirements of §§35.88, 35.90, and 35.92.
- (b) If the agent has complied with paragraph (a)(1) of this section, the agent shall not be liable for the failure to disclose to a purchaser or lessee the presence of lead-based paint and/or lead-based paint hazards known by a seller or lessor but not disclosed to the agent.

(Approved by the Office of Management and Budget under control number 2070-0151)

[61 FR 9082, Mar. 6, 1996, as amended at 64 FR 14382, Mar. 25, 1999]

§ 35.96 Enforcement.

- (a) Any person who knowingly fails to comply with any provision of this subpart shall be subject to civil monetary penalties in accordance with the provisions of 42 U.S.C. 3545 and 24 CFR part 30.
- (b) The Secretary is authorized to take such action as may be necessary to enjoin any violation of this subpart in the appropriate Federal district court.
- (c) Any person who knowingly violates the provisions of this subpart shall be jointly and severally liable to the purchaser or lessee in an amount equal to 3 times the amount of damages incurred by such individual.

- (d) In any civil action brought for damages pursuant to 42 U.S.C. 4852d(b)(3), the appropriate court may award court costs to the party commencing such action, together with reasonable attorney fees and any expert witness fees, if that party prevails.
- (e) Failure or refusal to comply with §§35.88 (disclosure requirements for sellers and lessors), §35.90 (opportunity to conduct an evaluation), §35.92 (certification and acknowledgment of disclosure), or §35.94 (agent responsibilities) is a violation of 42 U.S.C. 4852d(b)(5) and of TSCA section 409 (15 U.S.C. 2689).
- (f) Violators may be subject to civil and criminal sanctions pursuant to TSCA section 16 (15 U.S.C. 2615) for each violation. For purposes of enforcing this subpart, the penalty for each violation applicable under 15 U.S.C. 2615 shall be not more than \$10,000.

§ 35.98 Impact on State and local requirements.

Nothing in this subpart shall relieve a seller, lessor, or agent from any responsibility for compliance with State or local laws, ordinances, codes, or regulations governing notice or disclosure of known lead-based paint and/or lead-based paint hazards. Neither HUD nor EPA assumes any responsibility for ensuring compliance with such State or local requirements.

ATTACHMENT F

Table of Contents

CHAPTER 10	10-1
CHAPTER 10 HOUSING QUALITY STANDARDS	10_1
10.1 Chapter Overview	10-1
10.2 Housing Quality Standards General Requirements	10-1
10.3 Performance Requirements And Acceptability Standards	10-3
Sanitary Facilities	10-3
Food Preparation and Refuse Disposal	10-4
Space and Security	10-6
I hermal Environment	10-7
Illumination and Electricity	10-8
Structure and Materials	10-9
Interior Air Quality	. 10-10
Water Supply	. 10-11
Lead-Based Paint	. 10-11
Access	. 10-12
Site and Neighborhood	. 10-13
Sanitary Condition	. 10-13
Smoke Detectors	. 10-14
10.4 Lead-Based Paint Requirements And Responsibilities	. 10-15
Regulation Background	. 10-15
Exempt Units	. 10-16
Basic Lead-Based Paint Requirements	. 10-16
10.5 Notification and Disclosure of Lead-based Paint Hazards Prior to Occupancy	. 10-17
Visual Assessment for Deteriorated Paint	. 10-17
Stabilization of Deteriorated Paint Surfaces	. 10-18
Requirements for Children with Environmental Intervention Blood Lead Level	. 10-20
Ongoing Maintenance	. 10-21
PHA Data Collection and Record Keeping.	. 10-22
10.6 HQS Inspection Processes and Procedures	. 10-23
Overview	. 10-23
Scheduling Inspections	. 10-23
Automated Inspection Systems	. 10-24
Initial Inspection Process and Procedure	
Annual Inspection Process and Procedure	. 10-27
10.7 Complaint Inspections	. 10-28
Abatement of Payments	. 10-28
Termination of HAP Contract	. 10-29
Termination of Assistance	. 10-30
Special Inspection Process and Procedure	
10.8 PHA-Owned Units	
10.9 SEMAP Indicators Related to Inspections and HQS	
Introduction	. 10-31
Indicator 5, HQS Quality Control Inspections	10-32
Indicator 6, HQS Enforcement	. 10-33 10-25
**************************************	. LU~.3.3

Indicator 12, Annual Inspections	5

CHAPTER 10 HOUSING QUALITY STANDARDS

10.1 CHAPTER OVERVIEW

The goal of the housing choice voucher program is to provide "decent, safe and sanitary" housing at an affordable cost to low-income families. To accomplish this, program regulations set forth basic housing quality standards (HQS) which all units must meet before assistance can be paid on behalf of a family and at least annually throughout the term of the assisted tenancy. HQS defines "standard housing" and establishes the minimum criteria necessary for the health and safety of program participants.

HQS regulations provide performance requirements and acceptability criteria to meet each performance requirement. HQS includes requirements for all housing types, including single and multi-family dwelling units, as well as specific requirements for special housing types such as manufactured homes, congregate housing, single room occupancy (SROs), shared housing and group residences (GRs). Requirements for Special Housing Types are discussed in Chapter 17.

The HUD Housing Inspection Manual for Section 8 Housing, available through the HUD user at 800-245-2691, and the HUD Inspection Form, form HUD-52580 (3/01) and Inspection Checklist, form HUD 52580-A (9/00), available through HUDCLIPS website: www.hudclips.org, provide guidance to PHAs in interpreting the standards, as well as HUD regulations.

10.2 HOUSING QUALITY STANDARDS GENERAL REQUIREMENTS

At least annually, it is the responsibility of the PHA to conduct inspections of units to determine compliance with HQS prior to the execution of the entire term of the assisted lease. Inspections may be completed by PHA staff or by contract personnel. HQS consists of the following thirteen (13) performance requirements:

- Sanitary facilities;
- Food preparation and refuse disposal:
- Space and security;
- Thermal environment:
- Illumination and electricity;
- Structure and materials:
- Interior air quality;
- Water supply;
- Lead-based paint;
- Access;
- Site and neighborhood;
- · Sanitary condition; and
- Smoke Detectors.

Acceptability criteria for each performance requirement help PHAs determine if the unit meets mandatory minimum standards. For some standard, specific guidance is provided to PHAs, but PHA's must rely upon inspector judgement in the areas. In some instances, family preference should be considered in the determination of acceptability.

HUD may grant approval for a PHA to use acceptability criteria variations which apply standards contained in local housing codes or other codes adopted by the PHA or because of local climatic or geographic conditions.

Acceptability criteria variations may only be approved by HUD, if the variation meets or exceeds the performance requirement and does not unduly limit the amount and type of rental, housing available at or below the fair market rent . HUD will not approve variations if the change is likely to adversely affect the health or safety of participant families or severely restrict housing choice.

PHAs should strive to ensure consistency among staff in areas requiring judgment. Not all areas of HQS are exactly defined while acceptability criteria specifically state the minimum standards necessary to meet HQS, inspector judgment or tenant preference may also need to be considered in determining whether the unit meets minimum standards or desirable. Staff can receive the tools to make sound decisions through training, access to written policy and procedures, and consistent written and oral instruction.

Potential safety hazards that are not specifically addressed in the acceptability criteria, such as damaged kitchen cabinet hardware, may present a cutting hazard to small children is an example of an area that requires judgement. Less than optimal conditions, such as a water heater with a small capacity, is another example. A good practice is to assess potential hazards based on the family residing in the unit. Some potential hazards may only apply when small children are in occupancy. Some less than perfect conditions, such as a water heater that appears too small for optimal use by the tenant, should be discussed with the tenant, but should not lead to denial of program assistance if the family is willing to accept the existing condition.

In order to keep assisted units from having to meet higher standard than units in the unassisted market, PHAs should be cautious and thoughtful when requesting HUD approval of a standard higher standard than HQS. Though adopted into local law, local codes, are often not consistently enforced among all units, or are enforced only when complaints are made. Sometimes, certain aspects of a local code are not enforced at all. If the PHA adopts local code requirements, housing choice may be restricted in these instances.

The PHA administrative plan should include any HUD-approved variations to HQS acceptability criteria that will be used to judge the condition of the unit. This practice formalizes the PHA's inspection standards for inspection staff, as well as for owners and tenants. For example, if the PHA has received HUD approval to require that assisted units must have deadbolt locks on all doors leading from the unit to the exterior or public areas, the requirement should be included in the PHA administrative plan as an addition to HQS standards.

10.3 PERFORMANCE REQUIREMENTS AND ACCEPTABILITY STANDARDS

Each of the 13 HQS performance requirements and acceptability criteria is identified below. A discussion of how PHAs should interpret the requirements and tenant preference options follows. Refer to the inspection checklists contained in Form HUD-52580 and Form HUD-52580-A and the *Housing Inspection Manual for the Section 8 Existing Housing Program* for more detailed explanation and guidance.

Sanitary Facilities

Performance Requirement

- The dwelling unit must include sanitary facilities within the unit.
- The sanitary facilities must be in proper operating condition and adequate for personal cleanliness and disposal of human waste.
- The sanitary facilities must be usable in privacy.

Acceptability Criteria

- The bathroom must be located in a separate room and have a flush toilet in proper operating condition.
- The unit must have a fixed basin (lavatory) with a sink trap and hot and cold running water in proper operating condition.
- The unit must have a shower or tub with hot and cold running water in proper operating condition.
- The facilities must utilize an approved public or private disposal system, including a locally approved septic system.

The bathroom must be contained within the dwelling unit, afford privacy (usually meaning a door, although no lock is required), and be for the exclusive use of the occupants.

All public or private waste disposal systems servicing the unit or facilities must be either state or local agency approved.

The tub/shower, toilet, and basin/lavatory must have a proper sewer trap, drain, and vents to prevent the escape of sewer gases or severe leakage of water. Drains must not be clogged and the toilet must flush. Hot and cold water must be available at the tub, shower, and lavatory taps. The definition of hot water (temperature) required at the lavatory, tub, or shower should be determined from local health standards or applicable local code.

The PHA must determine if the bathroom facilities are free of hazards which may endanger the occupants such as damaged or broken fixtures and plumbing leaks. Conditions which do not affect the acceptability of the bathroom include tenant preference items (listed below) and minor faucets drips.

EXAMPLE:

What are bathroom hazards that may endanger occupants?

- Broken ceramic, metal, or glass fixtures that may pose a hazard. This includes towel racks, soap dishes, medicine cabinets, and mirrors as well
- A leaking hot water faucet may pose a scalding threat.

Only one bathroom is required to meet HQS. Additional bathrooms do not have to contain all plumbing fixtures (tub/shower, toilet or lavatory), but if present, they must not create any unsanitary conditions, be properly plumbed, and be free of sewer gases.

Other room standards that apply to bathroom facilities, such as illumination and electricity, are discussed under those performance requirements.

Tenant Preference

The tenant may determine acceptability of the cosmetic condition and quality of the sanitary facilities, including the size of the lavatory, tub, or shower, condition of faucets, minor leaks, scratches, or worn enamel on fixtures, and the location of the sanitary facilities within the dwelling unit.

Food Preparation and Refuse Disposal

Performance Requirement

• The dwelling unit must have suitable space and equipment to store, prepare, and serve food in a sanitary manner.

Acceptability Criteria

- The dwelling unit must have an oven and a stove or range. A microwave oven may be substituted for a tenant-supplied oven and stove or range. A microwave may be substituted for an owner-supplied oven and stove or range if the tenant agrees and microwave ovens are furnished to both subsidized and unsubsidized tenants in the same building or premises.
- The dwelling unit must have a refrigerator of appropriate size for the family.

- All required equipment must be in proper operating condition. According to the lease, equipment may be supplied by either the owner or the family.
- The dwelling unit must have a kitchen sink in proper operating condition, with a sink trap and hot and cold running water. The sink must drain into an approved public or private system.
- The dwelling unit must have space for storage, preparation, and serving of food.
- Facilities and services for the sanitary disposal of food waste and refuse, including temporary storage facilities where necessary, are required.

Hot plates are not acceptable substitutes for stoves or ranges. The oven must heat and all burners on the stove or range must work. All stove or range knobs must be present. The stove or range must be free of hazardous gas hook-ups, gas leaks, or electrical hazards.

The refrigerator must be of adequate size for the family and capable of maintaining a temperature low enough to keep food from spoiling. The PHA may reject the size of the refrigerator only if it clearly cannot serve the needs of the family. For example, a counter-top or compact type would not meet the needs of a family of four. The freezer space must be present and working, and the equipment must present an electrical hazard.

EXAMPLE:

What temperature must a refrigerator maintain to keep food from spoiling?

- Above 32°F, but generally below 40°F.
- Consider how often the refrigerator will be opened. Proper temperatures are difficult to maintain if the refrigerator is frequently opened during warm weather, door seals are removed or broken, or the door sits open.

The sink must have hot and cold running water from the faucets and a proper working sink drain with gas trap. It must also be hooked to an approved water and sewer system. The definition of hot water should be determined by the local health department or applicable local code.

Space for storage, preparation, and serving of food must be present. Built-in space, equipment, table(s), or portable storage facilities are acceptable.

Waste and refuse storage facilities are determined by local practice and may include trash cans or dumpster facilities.

Other room standards apply to the food preparation area and are discussed under those specific requirements below.

Tenant Preference

The family selects a unit with the size and type of equipment it finds acceptable and may choose to accept a microwave oven in place of a conventional oven, stove, or range if the oven/stove/range are tenant supplied or if microwaves are furnished in both subsidized and unsubsidized units in the building or premises. The amount and type of storage space, the cosmetic conditions of all equipment, and the size and location of the kitchen are all determined by the family.

Space and Security

Performance Requirement

• The dwelling unit must provide adequate space and security for the family.

Acceptability Criteria

- At a minimum, the dwelling unit must have a living room, a kitchen and a bathroom.
- The dwelling unit must have a least one bedroom or living/sleeping room for every two persons. Other than very young children, children of opposite sex, may not be required to occupy the same bedroom or living/sleeping room.
- Dwelling unit windows that are accessible from the outside must be lockable.
- Exterior doors to the unit must be lockable.

A living room may be used as sleeping (bedroom) space, but no more than two persons may occupy the space.

Unit windows located on the first floor, at the basement level, on a fire escape, porch, or other outside space that can be reached from the ground and that are designed to be opened must have a locking device. (Windows with sills less than six feet off the ground are considered accessible.) Traditional window locks, those provided by storm/screen combination windows, window pins, and nails are acceptable. Windows leading to a fire escape or required to meet ventilation requirements may not be permanently nailed shut.

Doors leading to the outside and common hallways, fire escapes, and porches or otherwise accessible from the ground must have locks. No specific type of lock is required.

Window and door surfaces (including the door frame) must be in sufficient condition to support the installation and proper operation of window and door locks.

Tenant Preference

The family may determine the adequacy of room sizes and room locations. The family is also responsible for deciding the acceptability of the type of door and window locks.

Thermal Environment

Performance Requirement

• The dwelling unit must be able to provide a thermal environment that is healthy for the human body.

Acceptability Criteria

- There must be a safe system for heating the dwelling unit, such as electric baseboard, radiator, or forced air systems. In order to ensure a healthy living environment appropriate for the climate the system must be able to provide adequate heat either directly or indirectly to each room.
- If present, the air conditioning system or evaporative cooler, must safely provide adequate cooling to each room.
- The heating and/or air conditioning system must be in proper operating condition.
- The dwelling unit must not contain unvented room heaters that burn gas, oil, or kerosene. Electric heaters are acceptable.

The PHA must define "a healthy living environment" for the local climate. Local or state codes will help the PHA determine when and how much heat is adequate. For example, a PHA may define a heating system capable of maintaining an interior temperature of 65° between October 1 and May 1 as adequate.

Adequate heat is required in all rooms used for living; the heat source does not have to be located in each room as long as the heat can pass to the appropriate space and meet the definition of adequate. Portable electric room heaters or kitchen stoves with built-in heating units are not acceptable as a primary source of heat for units located in climatic areas where permanent heat systems are required.

Improper operating conditions, including all conditions that may be unsafe, such as broken or damaged source vents, flues, exhausts, gas or oil lines that create a potential fire hazard or threats to health and safety are not permitted. Heating unit safety devices must be present, and the heating equipment must have proper clearance from combustible materials and location of oil storage tanks. There must be proper gas and oil connections. Local plumbing, fire, or mechanical codes are instructive in providing details about acceptable materials for furnace and water heater hookups and required clearances appropriate to the jurisdiction where units are

located. Seek assistance from local code enforcement offices to determine health and safety standards for equipment hook-up and clearance requirements.

Heating system inspections are often required by local or state authorities especially for large multi-family buildings. If the heating system has passed inspection from the inspecting authority within the past two years, the PHA may accept this as proof of heating equipment safety.

Working cooling equipment refers to a central ventilation system, evaporative cooling system, room or central air conditioning. These systems are not required by HQS, but if present, must be operating safely so as not to create a potential fire hazard or other threat to health and safety.

Tenant Preference

The PHA has no control over energy conservation measures, such as dwelling insulation or installation of storm windows and doors. The family must assess whether a dwelling without these items is acceptable; the family must take into account the cost of utilities billed to the family and personal feelings about adequate heat. Dwellings that are poorly insulated or lack storm windows are generally drafty and more difficult to heat and cool.

Illumination and Electricity

- Each room must have adequate natural or artificial illumination to permit normal indoor activities and to support the health and safety of occupants.
- The dwelling unit must have sufficient electrical sources so occupants can use essential electrical appliances.
- Electrical fixtures and wiring must not pose a fire hazard.

Acceptability Criteria

- There must be at least one window in both the living room and each sleeping room.
- The kitchen area and the bathroom must have a permanent ceiling or wall-mounted fixture in proper operating condition.
- The kitchen must have at least one electrical outlet in proper operating condition.
- The living room and each sleeping space must have at least two electrical outlets in proper operating condition. Permanent overhead or wall-mounted light fixtures may count as one of the required electrical outlets.

The PHA must be satisfied that the electrical system is free of hazardous conditions, including: exposed, uninsulated, or frayed wires, improper connections, improper insulation or grounding of

any component of the system, overloading of capacity, or wires lying in or located near standing water or other unsafe places.

Outlets must be properly installed in the baseboard, wall, or floor. Hanging light fixtures or outlets from electric wiring, missing cover plates on switches and outlets, badly cracked outlets or cover plates, exposed fuse box connections and, overloaded circuits are unacceptable.

Tenant Preference

The family may determine whether the location and the number of outlets and fixtures (over and above those required for acceptability standards) are acceptable or if the amount of electrical service is adequate for the use of appliances, computers, or stereo equipment.

Structure and Materials

Performance Requirement

- The dwelling unit must be structurally sound.
- The structure must not present any threat to the health and safety of the occupants and must protect the occupants from the environment.

Acceptability Criteria

- Ceilings, walls, and floors must not have any serious defects such as severe bulging or leaning, large holes, loose surface materials, severe buckling, missing parts, or other serious damage.
- The roof must be structurally sound and weather-proof.
- The foundation and exterior wall structure and surface must not have any serious defects such as serious leaning, buckling, sagging, large holes, or defects that may result in air infiltration or vermin infestation.
- The condition and equipment of interior and exterior stairs, halls, porches, and walkways must not present the danger of tripping and falling.
- Elevators must be working safely.

The PHA must examine each of the elements listed in the acceptability criteria to determine that each is structurally sound, will not collapse, and does not present a danger to residents through falling or missing parts, or tripping hazards. The PHA must determine that the unit is free from water, excessive air, and vermin infiltration.

Handrails are required when four or more steps (risers) are present, and protective railings are required when porches, balconies, and stoops are thirty inches off the ground.

The elevator servicing the unit must be working. A current city or state inspection certificate suffices to determine working condition of the elevator.

Manufactured homes must have proper tie-down devices capable of surviving wind loads common to the area.

Tenant Preference

Families may determine whether minor defects, such as lack of paint, or worn flooring or carpeting will affect the livability of the unit.

Interior Air Quality

Performance Requirement

• The dwelling unit must be free of air pollutant levels that threaten the occupants' health.

Acceptability Criteria

- The dwelling unit must be free from dangerous air pollution levels from carbon monoxide, sewer gas, fuel gas, dust, and other harmful pollutants.
- There must be adequate air circulation in the dwelling unit.
- Bathroom areas must have one openable window or other adequate ventilation.
- Any sleeping room must have at least one window. If the window was designed to be opened, it must be in proper working order.

The PHA must be satisfied that air pollutants such as gas leaks, industrial outputs, and heavy traffic would not present a health hazard.

Air circulation should be checked to determine adequate ventilation. Air conditioning (A/C) provides adequate circulation as do ceiling and vent fans.

The windows must adequately protect the unit's interior from the weather. Windows designed to open must not be painted or nailed shut. The ventilating bathroom fan in the bathroom must operate as intended.

Tenant Preference

Tenants may determine whether window and door screens, filters, fans, or other devices for proper ventilation are adequate to meet personal needs.

Water Supply

Performance Requirement

• The water supply must be free of contamination.

Acceptability Criteria

• The dwelling unit must be served by an approved public or private water supply that is sanitary and free from contamination.

The PHA should be satisfied that the water supply is approved by the State or local jurisdiction.

Clean water must be distributed to all unit fixtures and waste water must leave the unit to an approved area without presence of sewer gas and backups.

Plumbing fixtures and pipes must be free of leaks and threats to health and safety.

Water-heating equipment must be installed safely and must not any present safety hazards to families. All water heaters must be free of leaks, have temperature/pressure relief valves, and a discharge line. Unless safety dividers or shields are installed water heaters must not be located in bedrooms or living areas where safety hazards may exist. Fuel burning equipment must have proper clearance from combustible materials and be properly vented.

Tenant Preference

The family may decide if the water heater has a large enough capacity for personal family use.

Lead-Based Paint

• The Lead-Based Paint Poisoning Prevention Act as amended (42 U.S.C. 4821 - 4846) and the Residential Lead-Based Paint Hazard Reduction Act of 1992 and implementing regulations 24 CFR Part 35 Subparts A, B, M, and R apply to the housing choice voucher program.

Acceptability Criteria

• The requirements apply to dwelling units built prior to 1978 that are occupied or can be occupied by families with children under six years of age, excluding zero bedroom dwellings.

- During initial and annual inspections of pre-1978 units that are occupied or will be occupied by families with children under 6 years of age, the inspector must conduct a visual assessment for deteriorated paint surfaces and the owner must stabilize deteriorated surfaces. Applicable areas include painted surfaces within the dwelling unit, exterior painted surfaces associated with the dwelling unit, and common areas of the building through which residents must pass to gain access to the unit and areas frequented by resident children under six years of age, including play areas and child care facilities.
- For units occupied by environmental intervention blood lead level (lead poisoned) children under six years of age, a risk assessment must be conducted (paid for by the PHA), and the owner must complete hazard reduction activities if lead hazards are identified during the risk assessment.

Section 10.4 of this Chapter discusses all PHA responsibilities.

Tenant Preference

Families with children under 6 years of age have no decision-making authority related to the presence of lead-based paint.

Access

- Use and maintenance of the unit must be possible without unauthorized use of other private properties.
- The building must provide an alternate means of exit in case of fire.

Acceptability Criteria

- The unit must have private access.
- In case of fire, the building must contain an alternate means of exit such as fire stairs, or windows, including use of a ladder for windows above the second floor.

The PHA must determine that the unit has private access without unauthorized passage through another dwelling unit or private property.

The emergency (alternate) exit from the building (not the unit) may consist of fire stairs, a second door, fire ladders, or exit through windows. The emergency exit must not be blocked. It must be appropriate for the family and considered adequate by local officials. Guidance from the local fire agency is advisable.

Tenant Preference

The tenant should assist the PHA in determining if the type of emergency exit is acceptable.

Site and Neighborhood

Performance Requirement

• The site and neighborhood must be reasonably free from disturbing noises and reverberations or other dangers to the health, safety, and general welfare of the occupants.

Acceptability Criteria

The site and neighborhood may not be subject to serious adverse natural or manmade
environmental conditions, such as dangerous walks or steps, instability, flooding, poor
drainage, septic tank back-ups or sewer hazards, mudslides, abnormal air pollution, smoke or
dust, excessive noise, vibration, or vehicular traffic, excessive accumulations of trash,
vermin, or rodent infestation, or fire hazards.

The PHA determines whether any of the above conditions seriously and continually affect the health or safety of the residents. PHAs should be careful not to restrict housing choice in deciding acceptability. Failing a unit because the neighborhood is considered "bad" is not appropriate. Take into account whether private unassisted residents are living in the same neighborhood.

Tenant Preference

Taking into consideration the type of neighborhood, presence of drug activity, commercial enterprises, and convenience to shopping and other facilities, the family selects a unit.

Sanitary Condition

Performance Requirement

The dwelling unit and its equipment must be in sanitary condition.

Acceptability Criteria

• The dwelling unit and its equipment must be free of vermin and rodent infestation.

The PHA must ensure that the unit is free of rodents and heavy accumulations of trash, garbage, or other debris that may harbor vermin. Infestation by mice, roaches, or other vermin particular to the climate must also be considered. The unit must have adequate barriers to prevent infestation.

EXAMPLE:

What is infestation of rodents or vermin?

By definition infestation means more than one bug or mouse. It is easily identified
by observing mouse and/or rodent droppings or gnaw marks. If no visible evidence
exists, there is probably no infestation. Based on the type of pest, PHAs must decide
for themselves what the limits are for determining infestation and be consistent. Is
one rat or roach too much?

Tenant Preference

Provided the minimum standards required by the acceptability criteria have been met, the tenant must determine whether the unit is in an adequate sanitary condition. Occasional mice and roaches may be acceptable to the tenant.

Smoke Detectors

- On each level of the dwelling unit including basements, but excluding spaces and unfinished attics at least one battery-operated or hard-wired smoke detector in proper operating condition must be present.
- Smoke detectors must be installed in accordance with and meet the requirements of the National Fire Protection Association Standards (NFPA) 74 or its successor standards.
- If a hearing-impaired person is occupying the dwelling unit, the smoke detectors must have an alarm system designed for hearing-impaired persons as specified in NFPA 74.

Acceptability Criteria

The PHA must insure that the location of smoke detectors conforms with local and/or State Fire Marshall's requirements.

The PHA must determine that smoke detectors are located and installed in accordance with NFPA Standards. All smoke detectors must be in operating condition.

Local codes, such as housing or fire codes, often address responsibilities between owners and tenants for installation and maintenance of smoke detector batteries. At initial, inspection smoke detectors must have good batteries and be operable. PHAs may follow local codes to determine if missing or dead smoke detector batteries constitute a tenant or owner-caused failure in occupied units.

Consultation with the local fire officials is recommended regarding acceptable types and location of smoke detectors.

Tenant Preference

The family is not permitted to exercise any tenant preference regarding smoke detector requirements.

10.4 LEAD-BASED PAINT REQUIREMENTS AND RESPONSIBILITIES

Regulation Background

Lead-based paint requirements were originally written to implement Section 302 of the Lead-based Paint Poisoning and Prevention Act. In the late 1970s, Code of Federal Regulations, Title 24, Part 35 was promulgated, setting forth the general procedures for inspection and treatment of defective paint surfaces in HUD assisted housing.

Under Part 35, Assistant Secretaries were given authority to develop regulations pertaining to their specific areas of responsibility, and varying program regulations were issued. The regulations have been amended several times. A major change that occurred in 1995 amended housing quality standards that applied to tenant-based programs.

New lead-based paint regulations effective September 15, 2000 have been implemented to incorporate Title X of the Housing and Community Development Act of 1992. These regulations consolidate all lead-based paint requirements under one section of the Code of Federal Regulations (24 CFR Part 35), stress identification of lead-paint hazards, notification to occupants of the existence of these hazards, and control of lead-based paint hazards to reduce lead poisoning among young children.

Housing choice voucher program units are subject to the following subparts of 24 CFR Part 35:

- Subpart A, Disclosure;
- Subpart B, General Lead-Based Paint Requirements and Definitions for All Programs;
- Subpart M, Tenant-Based Rental Assistance; and
- Subpart R, Methods and Standards for Performing Lead Hazard Evaluation and Reduction Activities.

The Section 8 moderate rehabilitation program and the project-based housing choice voucher or certificate program units are subject to requirements under 24 CFR Subparts A, B, H, and R. Those requirements are not discussed in this Guidebook.

Exempt Units

Exempt housing includes:

- Units built after December 31, 1977;
- Zero (0) bedroom and SRO units;
- Housing built for the elderly or persons with disabilities, unless a child of under age six (6) resides or is expected to reside in such housing;
- Property for which a paint inspection was completed in accordance with the new regulations and certified to have no lead-based paint;
- Property in which all lead-based paint was identified, was removed, and received clearance in accordance with the new regulations.

For dwellings built before January 1, 1978, and occupied or to be occupied by assisted families with one or more children under age six, lead-based paint requirements apply to:

- · The unit interior and exterior paint surfaces associated with the assisted unit; and
- The common areas servicing the unit, including those areas through which residents must
 pass to gain access to the unit, and other areas frequented by resident children less than six
 such as play areas, and child care facilities. Common areas also include garages and fences
 on the assisted property.

Basic Lead-Based Paint Requirements

The PHA is the responsible party for the following activities:

- Visual assessment for deteriorated paint (i.e., peeling, chipping, flaking) surfaces at initial and annual inspections;
- Assuring that clearance examination is conducted when required;
- Carrying out special requirements for children under age six who have environmental intervention blood lead levels as verified by a medical health care provider;
- Collecting data from the local health department on program participants under age six who have identified environmental intervention blood lead levels; and
- Record keeping.

Unit owners have responsibilities to:

- Disclose known lead-based paint hazards to all potential residents prior to execution of a lease;
- The owner must also provide all prospective families with a copy of *Protect Your Family From Lead in Your Home* or other EPA approved document;
- When necessary, perform paint stabilization to correct deteriorated paint;
- Each time such an activity is performed, notify tenants about the conduct of lead hazard reduction activities and clearance (if required);
- Conduct lead hazard reduction activities when required by the PHA;
- Perform all work in accordance with HUD prescribed safe work practices and conduct clearance activities when required; and
- Perform ongoing maintenance. As part of ongoing maintenance, the owner must provide
 written notice to each assisted family asking occupants to report deteriorated paint. The
 notice must include the name, address, and phone number of the person responsible for
 accepting the occupant's complaint.

10.5 NOTIFICATION AND DISCLOSURE OF LEAD-BASED PAINT HAZARDS PRIOR TO OCCUPANCY

Before the execution of the lease the owner or owner's agent is required to disclose any knowledge of lead-based paint or lead-based paint hazards in housing built prior to 1978, to all prospective residents (See Exhibit 10-1, Sample Disclosure Notice.) The PHA must keep a copy of the disclosure notice executed by the owner and tenant in the tenant file. The owner should not send the PHA the original disclosure notice executed by the owner and tenant.

Visual Assessment for Deteriorated Paint

During the conduct of initial and annual inspections of pre-1978 units that are occupied or will be occupied by families with children under 6 years of age, the PHA must conduct a visual inspection for deteriorated paint surfaces at these locations:

- All unit interior and exterior painted surfaces associated with the assisted unit; and
- Common areas such as common hallways, access and egress areas, playgrounds, child-care facilities, or other areas including fences and garages frequented by children under age six.

Deteriorated paint surfaces are defined as interior or exterior paint or other coating that is peeling, chipping, flaking, cracking, is otherwise damaged or has separated from the substrate of the surface or fixture.

The inspection may be conducted by an HQS inspector or other party designated by the PHA, but all inspectors must be trained in visual assessment in accordance with procedures established by HUD. A visual assessment training course is available on the Office of Healthy Homes and Lead Hazard Control's website.

Stabilization of Deteriorated Paint Surfaces

When the visual inspector identifies deteriorated paint surfaces, the PHA must notify and require the owner to perform stabilization of the surfaces within thirty (30) days of notification in occupied units and before commencement of an assisted tenancy. When weather conditions prevent stabilization of deteriorated paint surfaces on exterior surfaces within 30-day period, stabilization may be delayed for a reasonable time.

Owner requirements for compliance with a PHA's paint stabilization notice differ, depending upon the amount of deteriorated paint surface to be corrected. The use of lead-safe work practices during paint stabilization activities are characterized as above or below de minimis levels. De minimis deteriorated paint surfaces are as follows:

- 20 square feet on exterior surfaces;
- 2 square feet on an interior surface in a single room or interior space; or
- 10 percent of individual small components (e.g., window skills) on the interior or exterior.

Owners must perform paint stabilization on all deteriorated paint surfaces regardless of the size of the deteriorated surface. Paint stabilization is defined as:

- Repair of any physical defect in the substrate of the painted surface or building component. Examples of defective substrate conditions include dry-rot, rust, moisture-related defects, crumbling plaster, missing siding, or other components not securely fastened;
- · Removal of all loose paint and other loose material from the surface being treated; and
- Application of a new protective coat of paint to the stabilized surface.

If the amount of deteriorated paint is <u>below the de minimis level</u>, the owner must perform paint stabilization. Owners are not required to perform lead-safe work practices and clearance.

Correction of deteriorated paint above de minimis levels requires owners to perform additional activities to gain compliance with HUD lead-based paint requirements, including:

- Conducting the stabilization activities with trained staff;
- Employing acceptable methods for preparing the surface to be treated, including wet scraping, wet sanding, and power sanding performed in conjunction with a HEPA filtered local exhaust attachment operated according to manufacturer's instruction;
- Dry sanding and dry scraping is not permitted except within one (1) square foot of electrical outlets.
- Protecting the occupants and their belongings from contamination;
- Notifying the occupants within fifteen (15) calendar days of the stabilization activity and providing the results of the clearance examination (See Exhibit 10-3, Summary Notice of Completion of Lead-Based Paint Hazard Reduction Activity); and
- HUD has provided funds to PHAs to cover the cost of the first clearance examination. The
 owner covers funds for the cost of subsequent tests.
- The PHA is responsible for clearance activities. Clearance examinations must be performed by persons who have EPA or state-approved training and are licensed or certified to perform clearance examinations.

In no instance may an owner employ any paint stabilization methods that are strictly prohibited by federal, state, or local law such as:

- Open flame burning and torching;
- Machine-sanding or grinding without a high-efficiency particulate air (HEPA) local exhaust control;
- Heat guns operating above 1,100 degrees Fahrenheit;
- Abrasive blasting or sandblasting without HEPA exhaust control;
- Dry sanding and scraping except limited conditions stated above for limited areas; and
- Paint stripping in poorly ventilated space using a volatile stripper or a hazardous chemical as defined by Occupational Safety and Health Administration (OSHA).

Failure to comply with paint stabilization requirements, regardless of the amount of deteriorated surface, results in disapproval of the tenancy, abatement of payment to the owner, and/or termination of the HAP contract. The HQS violation for paint stabilization is considered closed when the PHA receives an executed copy of the Lead Based Paint Owner's Certification. (See Exhibit 10-2, Sample Certification.)

Requirements for Children with Environmental Intervention Blood Lead Level

HUD has defined environmental intervention blood lead level as a confirmed concentration of lead in whole blood equal or greater than 20 ug/dL (micrograms of lead per deciliter) for a single test or 15-19 ug/dL in two tests taken at least three (3) months apart in children under age six.

Notification

A medical health care provider, public health department, the family, owner, or outside source may notify the PHA of an environmental intervention blood lead level child living in a program unit.

When information regarding an environmental intervention blood lead level child under age six is received from the family, owner, or other sources not associated with the medical health community, the PHA must immediately verify the information with a public health department or other medical health care provider.

If either the public health department or a private medical health agency provides verification that the child has an environmental intervention blood lead level, the PHA must proceed to complete a risk assessment of the unit, common areas and exterior surfaces. This requirement does not apply if the public health department has already conducted an evaluation between the date the child's blood was last sampled and the receipt of notification of the child's condition.

When a PHA receives a report of an environmental intervention blood lead level child from any source other than the public health department, the PHA must notify the health department within five (5) working days.

Risk Assessment

Within 15 days of notification by a public health department or medical health care provider, the PHA must complete a risk assessment of the dwelling unit, including common areas servicing the dwelling unit, if the child lived in the unit at the time the child's blood was sampled. In most areas of the country, the local health department will complete the risk assessment free of charge to the PHA. In areas where this is not possible, the PHA must hire and pay for a certified risk assessor and, upon completion of the risk assessment, the PHA must provide the report to the owner.

Persons trained and certified by an EPA or state-approved agency must complete risk assessments.

Risk assessments involve on-site investigations to determine the existence, nature, severity, and location of lead-based paint hazards. The investigation includes dust and soil sampling, and visual evaluation, and may include paint inspections (tests for lead in paint). The assessor issues a report explaining the results of the investigation, as well as options and requirements for reducing lead-based paint hazards.

The owner must notify the building residents of the results of the risk assessment within 15 days of receipt from the PHA. (See Exhibit 10-4, Summary Notice of Lead-Based Paint Risk Assessment.)

Hazard Reduction

The owner must complete reduction of identified lead-based paint hazards as identified in the risk assessment within 30 days (or date specified by PHA if an extension is granted for exterior surfaces).

Hazard reduction activities may include paint stabilization, abatement, interim controls, or dust and soil contamination control. The appropriate method of correction should be identified in the risk assessment.

Hazard reduction is considered complete when a clearance examination has been completed and the report indicates that all identified hazards have been treated and clearance has been achieved, or when the public health department certifies that the hazard reduction is complete.

The owner must notify all building residents of any hazard reduction activities within 15 days of completion of activities. (See Exhibit 10-3, Summary Notice of Completion of Lead-Based Paint Hazard Reduction Activities.)

Like paint stabilization compliance, PHA receipt of the owner's certification signals compliance with lead hazard reduction activities. (See Exhibit 10-2, Owner's Certification.)

Failure to complete hazard reduction activities (including clearance) within 30 days (or later if PHA grants an extension for exterior surfaces) of notification constitutes a violation of HQS, and appropriate action against the owner must be taken if a program family occupies the unit. If the unit is vacant when the PHA notifies the owner, the unit may not be reoccupied by another assisted family, regardless of the ages of children in the family, until compliance with the lead-based paint requirement.

Ongoing Maintenance

In addition to the visual assessment completed by the HQS inspector, the owner is required to conduct a visual assessment for deteriorated paint and failure of any hazard reduction measures at unit turnover and every 12 months of continued occupancy.

The owner is required to make corrections of deteriorated paint and any failed lead hazard reduction measures. Correction methods are the same as those for paint stabilization activities discussed earlier.

The owner must provide written notice to each assisted family asking occupants to report deteriorated paint. The notice must include the name, address, and phone number of the person responsible for accepting the occupant's complaint.

The owner certifies that this requirement is being met by presenting the owner's certification to the PHA before the execution of the lease and at annual inspection. (See Exhibit 10-2, Owner's Certification.)

PHA Data Collection and Record Keeping

Quarterly, the PHA must attempt to obtain from the public health department having jurisdiction in the same area as the PHA, the names and addresses of children under age six with an identified environmental intervention blood lead level.

The PHA must match information received from the health department with information about program families. If a match occurs, the PHA must follow all procedures for notifying owners and conducting risk assessments as stated above.

Quarterly, the PHA must report a list of addresses of units occupied by children under age six, receiving assistance to the public health department, unless the health department indicates that such a report is not necessary.

Staff should be thoroughly trained about the requirements for lead-based paint so inspection activities are properly done and questions from owners about processes and requirements can be adequately addressed.

The PHA is responsible to inform owners of lead-based paint regulations especially those related to prohibited and safe work practices, tenant protection during lead-based paint activities, and notification requirements. Many owners do not know about the new regulations and requirements that were effective September 15, 2000. The PHA may wish to include information about these requirements in HQS notices and other mailings to owners. If the PHA routinely conducts owner workshops or owner meetings, lead-based paint is a good topic to place on the agenda.

Risk assessors and public health departments conducting risk assessments involving environmental intervention blood lead level children will issue a report on any needed corrections and appropriate methods to correct lead hazards. The PHA must notify the owner of the deadline for completing the corrections.

To carry out its responsibilities for matching PHA and public health records, PHA staff may need to develop a closer working relationship with staff at the public health department.

PHAs should also develop a tracking report to track known environmental intervention blood lead level children until the child reaches age six. This will assure that all PHA required activities are addressed in a timely manner and that inspections conducted on behalf of the family will include the inspection for deteriorated paint. If the PHA is using a computerized inspection system with hand-held units, information about the child's condition should be entered into the system.

Units that have been certified to be clear of lead paint hazards may be placed on a list and affirmatively marketed to families with children under six.

10.6 HQS INSPECTION PROCESSES AND PROCEDURES

Overview

The purpose of HQS inspections is to ensure that housing is decent, safe and sanitary. This section discusses types of HQS program inspections PHAs are required to conduct, methods for conducting inspections, inspection scheduling, and HQS enforcement. Sample letters and notices are provided to help PHAs carry out inspections. (See Exhibit 10-4a, *Annual Inspection Appointment Letter*, and Exhibit 10-4b, *Second Notice of Inspection Appointment*.)

PHAs are required to conduct three types of inspections: initial, annual, and special inspections, including quality control inspections. Inspections result in pass, fail, or inconclusive reports. Pass inspections require no further action by the PHA. Fail or inconclusive inspections require follow-up reinspections or PHA verification to confirm the correction of the HQS infractions.

Depending upon the nature of the item responsibility for correction of fail or inconclusive items may be the responsibility of the owner or tenant. Failure to comply with correction notices results in owner or tenant sanctions.

Scheduling Inspections

Program Requirements

The PHA must schedule initial inspections in accordance with program requirements. Annual inspections, quality control inspections, and all resulting reinspections must be scheduled to comply with SEMAP requirements as discussed in Section 10.7 of this Chapter. Other special inspections, such as complaint inspections, should be scheduled as quickly as possible after receipt of request.

Efficiently scheduling inspections that comply with SEMAP requirements can be challenging and complex, especially for PHAs with large programs. PHAs are allowed to determine their own procedures for scheduling inspections and may choose to complete the task manually or use of computer programs.

PHAs should plan efficient and cost effective inspection procedures that produce the best results, as well as good customer service for both families and owners. The size of the PHA's program plays a big part in determining scheduling details.

Annual inspections must be scheduled so that all units are inspected every 12 months. Annual inspections are likely to be the largest part of the PHA's inspection workload, followed by reinspections of units that fail HQS. Since many PHAs coordinate the scheduling of annual inspections with annual reexaminations, the number of inspections is not constant from month to

month, with more inspections required in the heavy leasing months (e.g., the summer months). This may also be the period with the greatest number of initial inspections.

The PHA should consider the following factors to determine how many total inspections will need to be scheduled and completed each year:

- Number of units under contract;
- Anticipated number of requests for expected tenancy approvals (new families and transfers) in the coming year;
- Unit fail rates for initial and annual inspections;
- Reinspection fail rates for annual inspections;
- Number of complaint inspections anticipated annually; and
- Number of quality control inspections required.

After estimating the number of required unit inspections, the PHA should determine the number of staff needed to complete required inspections. The PHA should take into account the following factors:

- Number of days employees actually conduct inspections each year (exclude time in office, training days, vacation, sick days, and approximate number of days lost to weather conditions for the area); and
- Number of inspections each employee completes per day.

This analysis will indicate the number of inspections each inspector must have scheduled and completed each day. The PHA should determine the amount of time required for an inspector to complete thorough inspections, taking into account the type of unit and the number of bedrooms. The PHA should also consider travel time.

Automated Inspection Systems

In order to meet all HQS requirements, inspections must be conducted and recorded using form HUD 52580-A or 52580. If the PHA has received HUD approval to include additional requirements, these changes must be reflected on the inspection instrument.

PHAs may conduct inspections using paper forms, checklists, or computer devices. Several automated HQS products are available on the private market. The PHA's program size will dictate the most cost effective and efficient method.

Computer inspection hardware comes in many forms; most are Windows-based. The computer, often referred to as a "hand-held," is available in various sizes and weights, and is available with printing devices that can be used in the field. Data entry can also take many forms, including use of a stylus to enter comments on the computer screen, typing comments into the system, or using programmed codes to describe fail items.

Most hand-held systems can be connected to the office computer system. Inspection results are then uploaded to the office computer to produce required letters to owners and/or tenants. Some systems will allow for the inspections data to be "tied" to other PHA computer mainframe applications to fill in tenant data fields for date of inspection, record inspection results to track and monitor SEMAP requirements, and perform other tasks.

PHAs considering the use of hand-held systems should consult several companies to determine the best and most cost effective system. Careful planning and programming of the hand-held system should occur.

Initial Inspection Process and Procedure

The PHA's established tenancy approval process triggers an initial inspection. The PHA may deny a request to inspect a unit of behalf of a tenant as discussed in Chapter 6. (See Exhibit 10-5, Sample Notice Denying Request for Inspection.)

Program Requirements

- The PHA is required to conduct an initial inspection for each unit as part of the tenancy
 approval process discussed in Chapter 6. The family and owner must be notified of the
 inspection results.
- The unit must pass the HQS inspection before the execution of the assisted lease and housing assistance payments (HAP) contract and the initiation of payments.
- PHAs with up to 1,250 budgeted units must conduct the inspection within 15 days after the family or owner submits a request for tenancy approval.
- PHAs with more that 1,250 budgeted units must conduct the inspection within a reasonable time after the family submits a request for tenancy approval. If possible, the inspection should be completed within 15 days.
- The 15-day period is suspended when the unit is not unavailable for inspection. For example, if a family and owner submit a request for tenancy approval on the 15th of month but the owner indicates that unit will not be available until 1st of next month, the 15-day clock starts on the 1st of the next month.

A thorough unit inspection is required for the PHA to determine compliance with HQS and to determine the reasonableness of the rent. (Rent Reasonableness is discussed in Chapter 9.)

Regardless of how inspection results are recorded the PHA must produce and retain a facsimile that includes PHA-adopted standards. Form HUD-52580, *Inspection Checklist*.

The family and the owner must relieve inspection results. (See Exhibit 10-6, Sample Notice, Initial Unit Inspection.) The owner must receive detailed information for all failed and inconclusive inspection items so that he or she is fully aware of the work necessary to pass the HQS inspection.

If the unit does not comply with HQS requirements within the PHA specified time frame, the PHA may cancel the tenancy approval and instruct the family to search for another unit.

The PHA is responsible for establishing a tenancy approval procedure. The procedure should clearly describe the process for the tenant and owner to request an inspection, keeping in mind:

- The requirement to conduct inspections within 15 days or as quickly as possible.
- The PHA may set a deadline for completion of repairs which, if not met, will result in cancellation of the tenancy approval.
- If the time to complete repairs is expected to be lengthy, the tenant may wish to find another unit, or the PHA may decide that the unit is unacceptable for leasing because the owner is non-responsive or has failed to comply with HQS within a reasonable period of time.

The PHA should request that the owner disclose the date the unit will be ready for inspection, as well as all phone numbers where the owner can be reached.

The PHA may either ask the owner to schedule unit inspection or may accept this responsibility itself. In either instance, the PHA should determine its policy and procedure for cases where owner requests are not timely, one or more appointments are cancelled, access is denied or the unit does not pass inspection after a reasonable time.

PHAs with a large number of tenancy approval requests may monitor their processing through a manual or computerized tracking system, which records actions from the time of the request through the execution of the HAP contract. This lets the PHA know where each unit stands in the scheduling and approval process, and provides management data on time frames from request for tenancy approval to HAP execution.

Prior to inspection, PHAs can use several methods to inform owners about HQS requirements: owner briefing materials, telephone discussion, inclusion of HQS requirements in tenancy approval materials, monthly newsletters to owners in the program, owner workshops, and public meetings with current and prospective owners. It is advantageous to the PHA and the prospective tenant if the unit passes inspection on the first attempt. The PHA should have a system to track units requiring reinspection to determine HQS compliance for all fail and inconclusive items.

Annual Inspection Process and Procedure

The annual inspection process includes scheduling the unit for inspection, notifying owners and tenants of the inspection date and time, conducting the inspection, enforcing HQS requirements, and when necessary, taking action to abate payments and terminate HAP contracts and program assistance.

- The unit must be in compliance with HQS requirements throughout the assisted tenancy.
- Each unit must be inspected annually during assisted tenancy to determine if the unit meets HQS. The inspection must be conducted within twelve months of the previous inspection to meet SEMAP requirements discussed in Section 10.7.
- The PHA must notify owners and tenants of HQS deficiencies in writing, and indicate a time period in which to make HQS corrections of that the PHA complies with SEMAP requirements discussed in Section 10.7.
- The PHA must abate housing assistance payments to the owner for failure to correct an HQS violation under the following circumstances:
 - An emergency (life-threatening) violation is not corrected within 24 hours of inspection and the PHA did not extend the time for compliance;
 - A routine violation is not corrected within 30 days of the inspection and the PHA did not extend the time for compliance.
- Abatements must begin on the first of the month following the failure to comply.
- The PHA must terminate the HAP contract if repairs are not made. The PHA must decide
 how long abatement will continue prior to contract termination. The PHA should not
 terminate the contract until the family finds another unit provided the family does so in a
 reasonable time.
- The PHA must terminate program assistance to families who fail to correct HQS deficiencies that they caused. The PHA should notify the owner of its intent to terminate the family's program assistance so the owner can begin eviction procedures. The PHA should continue to pay the owner until the eviction is completed.

The PHA may set policy regarding tenant and owner presence at the inspection.

The inspector conducts the unit inspection. Each item on the inspection checklist must receive a rating of pass, fail, or inconclusive. The inspector should make clear notes about the nature of all fail and inconclusive items. For the unit to receive a pass rating, no fail or inconclusive items can be noted on the inspection checklist.

Improvements which have occurred since the previous unit inspection, addition of amenities or services, and changes in type of or responsibility for utilities should be noted and reported to appropriate PHA staff.

The inspector may record recommended improvements or items that should be brought to the attention of the owner or tenant, but are not HQS deficiencies.

Written notification to the owner and/or tenant is required for all items for which fail or are inconclusive. The notice must include a list of HQS deficiencies and the correcting deadline. (See Exhibit 10-7a and Exhibit 10-7b, Sample Notice, Owner and Tenant HQS Deficiencies.). Reinspection or PHA verification that failed and/or inconclusive items are corrected is required.

Any time an inspector is present in an assisted unit, the inspector has the right to conduct a full inspection. If new HQS items are discovered during the time of a reinspection, the new items must be noted and the owner and/or tenant must be notified to correct the deficiencies.

Owners are responsible to the PHA for compliance with all HQS items except those specifically assigned to tenants.

Tenants are responsible to correct HQS fail and inconclusive items resulting from:

- Failure to pay for tenant-supplied utilities;
- Failure to supply appliance(s) required by the lease; or
- Damage to the unit.

10.7 COMPLAINT INSPECTIONS

The PHA must investigate complaints about HQS matters that are registered by tenants, owners or the general public.

Violations resulting from complaint inspections are treated in the same manner as annual inspection violations. Failure to comply with violation notices issued from complaint inspections result in abatement of payment to owners and/or termination of program assistance for tenants.

PHAs should schedule complaint inspections based upon the nature of the complaint. Staff that receive complaints should distinguish between emergency (life threatening) and routine matters and act accordingly.

Abatement of Payments

The PHA must abate HAP payments to owners who do not comply with notifications to correct HQS deficiencies within the specified time period: 24 hours or 30-days depending upon the

nature of the deficiency. For valid reasons, the PHA may extend the time period. Placement of abatement must occur by the first of the month following expiration of the notice.

Except in the case of life threatening violations requiring corrections within 24 hours, the owner must receive 30-day written notification of the abatement. Therefore, it is important that PHAs include the 30-day notice to abate in the original violations notice. (See sample notice, Sample Notice of HQS Deficiency; Exhibit 10-7b.) If this does not occur, a separate Notice of Abatement, Sample Notice Exhibit 10-8, which delays the placement of abatement and has implications under SEMAP compliance, must be sent to the owner. (See Section 10.7.3.)

Following a failure to comply with a notice of deficiency owners are not entitled to HAP payments from the first of the month until the day the unit passes HQS. Examples include:

- The owner receives a notice of violation in May to correct deficiencies by June 20 or abatement of payment will occur on July 1. The owner does not comply on June 20th. An abatement is placed on July 1 unless the owner complies prior to July 1. (The PHA may allow the owner to request a reinspection of the unit for compliance with HQS before or after the abatement has been placed.) If the unit passes re-inspection, the PHA may reinstate HAP payments on the day the owner complies and reverse any notice of abatement or cancellation of HAP contract that may have been issued.
- The owner receives a notice of violation in May to correct deficiencies by June 20, but the notice does not contain language that abatement of payment will occur on July 1. The owner must be given a 30-day notice before the abatement can occur. Abatement may not be placed before August 1.
- In May, the owner receives a notice of violation requesting a correction of deficiencies by June 20 and the notice contains language that failure to comply will result in abatement of payment July 1. The owner does not comply and abatement is placed on July 1. The owner requests a re-inspection following abatement and passes the reinspection on July 10. HAP payments may be re-instated on July 10, resulting in a nine-day sanction. The PHA may not withhold HAP payments to recover the time the unit was out of compliance with HQS from June 20 through June 30.

Termination of HAP Contract

The PHA may terminate the HAP contract for an owner's failure to comply with its terms and conditions, including non-compliance with HQS. Both the owner and the tenant must be notified of intent to terminate. (See Exhibit 15-1, Sample Notice of Termination.)

The PHA may issue a voucher to the family to move, provided the family is eligible (not in violation of the terms of assistance, including HQS responsibilities). The family should be reminded of its responsibility to the owner to give notice of intent to move, and must continue to pay its portion of the rent as long as the family remains in the unit. Procedures for terminating

the HAP contract should be stated in the PHA administrative plan. (See Guidebook Chapter 15, Termination of Assistance and Housing Assistance Payment Contracts.)

Termination of Assistance

Termination of program assistance is discussed in Chapter 15. (See Exhibit 15-2, Sample Notice of Termination of Program Assistance.)

Special Inspection Process and Procedure

Special inspections include inspections in response to complaints registered with the PHA by families, owners or other sources regarding the unit's condition, quality control inspections, or any other inspection the PHA may deem appropriate to conduct.

PHAs are obligated to investigate complaints which may indicate non-compliance with HQS requirements. When repeated complaints about an assisted property are received, the PHA may wish to conduct regular or routine inspections more often than annually.

Quality control inspections are a second type of special inspection and are required by program regulations. See the discussion on quality control inspections in Section 10.7 of this Chapter.

Special inspections resulting in a fail or inconclusive HQS determination require the same notification actions and enforcement processes described above for annual inspections.

As discussed in Section 10.7 of this Chapter, the PHA should use tracking systems to monitor compliance with deadlines for correction of HQS violations, abatements, and terminations resulting from annual and special inspections.

The PHA should develop a procedure and tracking system to record, track, and schedule all unit inspections to ensure that inspection-related SEMAP requirements are met. These methods will assist staff to schedule and conduct the unit inspection within the required time frames. Frequent monitoring is necessary to assure that rescheduling of unit inspection is pursued diligently.

10.8 PHA-OWNED UNITS

A unit that is owned by the PHA that administers the housing choice voucher program (including a unit owned by an entity substantially controlled by the PHA) may not be inspected for HQS compliance by PHA staff.

- The PHA must obtain the services of an independent entity to perform HQS inspections and to communicate the results of these inspections to the family and the PHA.
- The independent agency must be approved by HUD.

- Administrative fee income may be used to compensate the independent agency. Other program receipts may not be used.
- Neither the PHA nor the inspecting agency may charge the family any fee for the inspection service.

The PHA may select a government, nonprofit, or private group to conduct the independent HQS inspections. The independent agency may be a unit of general local government, but it may not be the PHA. Other local government agencies such as the local code enforcement agency, the Community Development Agency, or the Health Department may be acceptable. A neighboring PHA or a consultant are also possibilities.

After the PHA receives HUD approval of an independent inspection entity, the PHA should establish a system to report addresses and inspections schedules, receive information from the inspection entity, and manage the information flow. PHA owned units are also subject to SEMAP requirements.

10.9 SEMAP INDICATORS RELATED TO INSPECTIONS AND HQS

Introduction

The following five SEMAP Indicators, totaling 50 points, are directly or indirectly related to PHA compliance with program inspection requirements:

- Indicator 2, Rent reasonableness;
- Indicator 5, HQS quality control inspections;
- Indicator 6, HQS enforcement;
- Indicator 11, Precontract HQS inspections; and
- Indicator 12, Annual HQS inspections.

SEMAP Certifications and Scoring are discussed in Chapter 1, Introduction.

Certification of Indicators 2, 5, and 6 is audited by the PHA through quality control sampling. Sample size varies depending upon the universe, as shown in Table 10-1, *Minimum Size of the PHA's Quality Control Sample*. The scores resulting from the PHA quality control process and certified by the PHA to HUD will be verified by the PHA independent auditor.

TABLE 10-1
MINIMUM SIZE OF THE PHA'S QUALITY CONTROL SAMPLE

Universe	Minimum number of files or records to be sampled
50 or less	5
51-600	5 plus 1 for each 50 (or part of 50) over 50
601-2000	16 plus 1 for each 100 (or part of 100) over 600
Over 2000 30 plus 1 for each 200 (or part of 200) over 2000	

The universe is determined as follows:

- SEMAP Indictor 2, Rent reasonableness: number of families assisted;
- SEMAP Indicator 5, HQS quality control inspections: number of units under HAP contract during the last completed PHA fiscal year;
- SEMAP Indicator 6, HQS enforcement: number of failed HQS inspections in the last year.

The scores for SEMAP Indicators 11 and 12 are determined by data submitted by the PHA to HUD through MTCS.

Indicator 2, Rent Reasonableness

Program requirements for this indicator are discussed in detail in Chapter 9, Rent Reasonableness.

When determining the rent to owner, data must be gathered on a variety of units in order to allow the PHA to make a comparability determination. PHA staff conducting the initial pre-contract inspection are the most likely candidates to gather or verify the data, using the nine factors in the rent reasonableness procedure.

See Sample Data Collection Form for Program Unit provided in Chapter 9.

Indicator 5, HQS Quality Control Inspections

- A PHA supervisor or other qualified person must reinspect a sample of units under contract during the last PHA fiscal year. The guidelines included in Table 10-1 determine the required sample size.
- The universe referred to in Table 10-1 is the number of units under HAP contract at the end of the PHA's previous fiscal year. Example: The PHA fiscal year ends December 31, 2000. The SEMAP 2000 rating year for this PHA is January 1- December 31, 2000. The universe for this indicator is the number of units under HAP contract on December 31, 1999.
- Completed HQS inspections included in the sample must be no older than three months at the time of the reinspection. The sample must represent a cross section of neighborhoods where program units are located and inspections completed by all HQS inspectors. The sample should also include a cross-section of initial and annual inspections.
- Quality control reinspections should be conducted by staff trained in the PHA's inspection standards and should receive the same guidance as other PHA inspectors on inspection policies and procedures.

In addition to monitoring SEMAP compliance, quality control inspections provide feedback on inspectors' work, which can be used to determine if individual performance or general HQS training issues need to be addressed. For SEMAP purposes, an HQS deficiency found at the time of the quality control reinspection represents a "fail" quality control inspection. When rating an individual inspector's performance, the quality control inspector should take into account whether the failed item occurred since the previous inspector was on site. Often the tenant can describe when the deficiency occurred and will be helpful in making this determination. Deficiencies that occurred after the original inspection should not be held against the inspector's performance record.

The PHA should maintain a quality control tracking system for each SEMAP year, which indicates, the address of the units, date of original inspection and inspector, date of the quality control inspection, results of the quality control inspection, and location of the unit by neighborhood, zip code, census tract, etc. (See Exhibit 10-9, *Documenting Quality Control Inspections*.)

Indicator 6, HQS Enforcement

- All life-threatening HQS deficiencies must be corrected within twenty-four (24) hours of inspection and all other cited HQS deficiencies must be corrected no more than 30 calendar days from the inspection unless the PHA approved an extension of time for correction.
- For HQS deficiencies that are the owner's responsibility and are not corrected within the
 prescribed time frames, the PHA must abate housing assistance payments beginning no later
 than the first of the month following expiration of the PHA violation notice. Violation
 notices should contain language regarding abatement of payment for owner failure to make
 corrections.
- For HQS deficiencies that are the responsibility of the tenant and are not corrected within the
 prescribed time frames, the PHA must take prompt and vigorous action to enforce family
 obligations following program requirements.
- Compliance with this indicator is determined through quality control of files and records, in accordance with Table 10-1. The number of failed units in the PHA's past fiscal year establishes the universe.

The PHA should establish the definition of deficiencies that will be considered emergency fail items and should put a procedure in place to record, track, and close violations within 24 hours of inspection or take abatement action.

Promptly following inspection, PHAs should issue violations letters for emergency fails to the responsible party. This may be done by fax, courier, overnight mail, or regular mail and should be followed by personal contact. PHAs should have a system to cover these circumstances on weekends and holidays when staff are not readily available to conduct reinspections. Potential approaches include: phone calls to the tenant or owner within the 24 hour period to verbally

determine compliance, followed by a site reinspection the next business day; rotation of inspectors to cover holiday and Saturday reinspections; receipt by fax of owner/tenant certifications that corrections are made within the required time frame, or telephone confirmation to a voice mail system followed by a reinspection on the next business day.

Promptly following inspection, notices to correct routine violations should be issued and should state a date for compliance that allows time for corrections to be made and a reinspection to be conducted within the 30-day time frame. Letters of violation should clearly state that failure to gain entry to the unit or failure to comply will result in abatement of assistance payments on the first of the month following the correction period.

Inspectors must identify the party responsible for each HQS violation listed on the inspection instrument so that proper notice can be sent to the owner and/or tenant for the appropriate items. This precludes abatement of owner rent when the violation(s) is the responsibility of the tenant. Housing assistance payments are never abated for tenant deficiencies.

The PHA must have a system to promptly identify units for which deficiencies have not been corrected within the required timeframe, in order to indicate abatement of rent and/or termination of assistance to the family. (See Exhibit 10-10, Sample Tracking Log for Emergency Inspections.) Termination of assistance procedures should be stated in the PHA administrative plan. In order to meet the SEMAP requirement to "take prompt and vigorous action" for tenant violations the PHA should strictly follow these procedures when the family fails to correct HQS violations.

PHAs should monitor HQS enforcement on a regular basis (daily, weekly, or monthly) to guarantee that reinspections occur within the proper time frames. PHAs may not penalize owners for PHA failure to conduct the reinspections on time. However, if owners fail to comply or allow entry into the unit, the PHA should notify the owner that it will begin abatement in 30 days.

For fairness and consistency, PHAs should have an established policy and procedure for receiving and processing requests for HQS compliance deadline, including the conditions under which extensions will be granted. It is not advisable to grant extensions without just cause, or to grant verbal extensions; this can be construed as circumvention of the SEMAP requirement.

The PHA must have a system to record the results of SEMAP quality control reviews of inspections. At a minimum, the system should provide: the address of the unit, date of original failed inspection, responsibility for the deficiency (tenant or owner), date of reinspection, result(s) of the reinspection, date owner notified of abatement, actual date of abatement, any extensions to that date, and initiation and status of termination of tenancy. The PHA should regularly monitor the tracking system to assure compliance.

Indicator 11, Pre-Contract Inspections

- PHAs must conduct initial inspections to determine that a unit passes HQS requirements on or before the effective date of the assisted lease and HAP contract.
- Scoring of this indicator is based upon the date of the passed inspection reported on the form HUD 50058 transmitted through MTCS.

The PHA should routinely ensure that all new units pass HQS inspection prior to lease and HAP execution. The staff person responsible for signing the HAP contract should review the file to determine whether the unit passed before the HAP contract effective date.

Monthly MTCS reports should be monitored by the PHA to ensure that the system accurately reflects the PHA's performance.

Indicator 12, Annual Inspections

- Each unit under HAP contract must be inspected at least annually and no more than 12 months following the most recent inspection.
- Scoring for this indicator is determined by data submitted to HUD for reporting in MTCS.

Following procedures described earlier in this chapter, the PHA should carefully determine the number of units to be scheduled for inspection in the upcoming SEMAP year.

Tracking systems and management reports should be in place to ensure that units are being inspected within the required 12-month period.

For purposes of this indicator, MTCS monitors the date of the last inspection of the unit to determine if it occurred within twelve months. PHAs should exercise caution that the correct date is placed into the system. The unit does not have to pass inspection within the time frame, but an inspection must occur.

Prompt scheduling is essential to getting all unit inspections conducted within required time frames. PHAs should review their scheduling procedures to determine if other processes that may result in inspections not being completed on time, are linked to annual inspection, such as the recertification process or families that are searching for new units. PHAs are also encouraged to streamline procedures and increase owner/tenant education to limit the number of units which are ready for inspection when scheduled. This requires a rescheduled or follow-up inspection.

PHAs should consider decoupling inspection from recertifications to balance monthly inspector workload. Annual inspections do not have to coincide with the recertification process. Inspections may be de-coupled from the recertification process and conducted by other methods such as by zip code, specific buildings or apartment complexes, census track or ownership.

SAMPLE

EXHIBIT 10-1

Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards						
Ho haz Bej bas pre Le	using buil zards if no fore rentir sed paint l evention. ssor's Di	ning Statement It before 1978 may contain lead-based It managed properly. Lead exposure It managed properly. Lead exposure It managed properly. Lessors must distinguished It is closure It of lead-based paint and/or lead-based It Known lead-based paint and/or lead-	is especially harmful to young checlose the presence of known lead t also receive a federally approve d paint hazards (check (i) or (ii) l	nildren and pregnant women. l-based paint and/or lead- ed pamphlet on lead poisoning pelow):		
(b)	(ii)	Lessor has no knowledge of lead-ba and reports available to the lessor (ch Lessor has provided the lessee with and/or lead-based paint hazards in	ased paint and/or lead-based pain neck (i) or (ii) below): n all available records and reports	at hazards in the housing.		
Υ		Lessor has no reports or records per hazards in the housing.	rtaining to lead-based paint and/o	or lead-based paint		
		mowledgement (initial)				
(c) (d)		Lessee has received copies of all i Lessee has received the pamphlet		in Your Home		
. ,		nowledgement (initial)	,	1101110.		
(e)		Agent has informed the lessor of to is aware of his/her responsibility t		U.S.C. 4852(d) and		
Ce	rtificatio	n of Accuracy				
The info	e following ormation th	g parties have reviewed the information that the provided is true and accurate the provided is true and accurate the provided is true and accurate the provided in the provided is true and accurate the provided in the provi	on above and certify, to the best one.	of their knowledge, that the		
Les	sor	Date	Lessor	Date		
Les	see	Date	Lessee	Date		
Age	ent	Date	Agent	Date		

EXHIBIT 10-2

Sample Lead Paint Owner's Certification Housing Choice Voucher Program

The undersigned hereby certifies that the property located at: (give full address, include apartment number)
is in compliance with all housing quality standard (HQS) requirements related to lead-based paint as indicated below.
(Mark ALL appropriate boxes)
The described property, including dwelling units, common areas and exterior painted surfaces, has been found to be free of lead-based paint by a certified lead-based paint inspector. The lead-based paint inspector's report is either attached or has already been provided to the PHA.
The described property was inspected by a certified lead-based paint inspector and lead-based paint was identified. All identified lead-based paint has been removed from the property, and the reports of the lead-based paint inspector and the certified lead-based paint abatement supervisor are attached or have already been provided to the PHA.
Ongoing lead-based paint maintenance activities have been incorporated into regular building operations in accordance with 24 CFR 35.1355(a).
Corrective action to address lead-based paint hazards at the described property that were required by the PHA to meet HQS have been completed in accordance with all requirements established by 24 CFR Part 35, including:
The boxes below do not apply when paint stabilization is below de minimis levels.
The work was completed by person(s) trained to conduct lead-based reduction activities or was supervised by a certified lead-based paint abatement supervisor.
Occupants of the dwelling unit(s) and their belongings were protected during the course of the work.
The lead hazard worksite was properly prepared and maintained during the course of their work.
A person certified to conduct clearance examinations performed a clearance test and the results indicate that clearance was achieved. Occupants have been properly notified of the results of any lead-based paint hazard evaluation and reduction, including the results of the clearance examination.
Owner's Signature):
Type or Print Name):
Date):

EXHIBIT 10-3

SAMPLE HAZARD REDUCTION NOTICE (From Federal Register dated 9/15/99)

Summary Notice of Completion of Lead-Based Paint Hazard Reduction Activity

Address/location of property or structure(s) this summary notice applies to:
Summary of hazard reduction activity: Start and completion dates(s):
Activity locations and types: List at least the housing unit numbers and common areas (for multifamily housing), bare soil locations, dust-lead locations, and/or building components (including type of room or space, and the material underneath the paint), and types of hazard reduction activities performed at the locations listed:
Date(s) of clearance testing and/or soil analyses:
Locations of building components with lead-based paint remaining in the rooms, spaces or areas where activities were conducted:
Summary of results of clearance testing and soil analyses: (a) No clearance testing was performed. (b) Clearance testing showed clearance was achieved. (c) Clearance testing showed clearance was not achieved.
Contact person for more information about the hazard reduction: Printed name: Organization: Street and city:
Street and city: State: ZIP: Phone number:
Person who prepared this summary notice: Printed name: Signature: Date: Organization: Street and situs
Street and city: State: ZIP: Phone number:

SUMMARY NOTICE OF LEAD-BASED PAINT RISK ASSESSMENT (From Federal Register dated 9/15/99)

	f property or structures(s) this summary notice applies:
Lead-based paint ri	sk assessment description:
Date(s) of r	isk assessment:
Summary o	f risk assessment results: (Check all that apply)
(a) .	No Lead-based hazards were found.
	Lead-based paint hazards were found.
(c)	A brief summary of the findings of the assessment.
and/or building con	and locations of lead-based paint hazards. List at least the housing unit on areas (for multi-family housing), bare soil locations, dust-lead locations apponents (including type of room or space, and the material underneath the lead-based paint hazards found:
	more information about the risk assessment:
Contact person for 1	more information about the risk assessment:
Contact person for i	more information about the risk assessment:
Contact person for a Printed nam Organization	more information about the risk assessment: e:
Contact person for a Printed nam Organization	more information about the risk assessment:
Contact person for a Printed nam Organization Street and C State:	more information about the risk assessment: e:
Contact person for a Printed nam Organization Street and C State: Person who prepare	more information about the risk assessment: e: a: ity: ZIP: Phone number: d this Summary Notice:
Contact person for a Printed nam Organization Street and C State: Person who prepare Printed name	more information about the risk assessment: e: n: ity: ZIP: Phone number: d this Summary Notice:
Contact person for a Printed nam Organization Street and C State: Person who prepare Printed name	more information about the risk assessment: e: a: ity: ZIP: Phone number: d this Summary Notice:
Printed nam Organization Street and C State: Person who prepare Printed name Signature: Date: Organization	more information about the risk assessment: e:
Printed nam Organization Street and C State: Person who prepare Printed name Signature: Date: Organization	more information about the risk assessment: e: n: ity: ZIP: Phone number: d this Summary Notice:

SAMPLE LETTER

ANNUAL INSPECTION APPOINTMENT LETTER

Dear Owner:		
In accordance with the housing choice voucher program, C		
continue participation in the program.	, miles	ispectod dimidality to
Name of PHA has scheduled this inspection for date as certain entry can be gained to the unit, common area strime. You or your tenant may be present for the inspection.	paces and heating facilit	onsibility to make ties at the appointed
If you find it necessary to re-schedule this appointment of the appointed date and notify your tenant of the charallow the inspection or to reschedule the unit within a abatement of HAP payments and/or termination of the	nged date. Please be ad reasonable time period:	vised that failure to
It is very important that inspections be completed time unit in advance of the scheduled inspection and correct to fail inspection.	ly. We recommend that any deficiencies which	t you inspect your may cause the unit
If you have any questions, please telephone	at	during
the hours of and Monday through F	riday.	
Sincerely,		
PHA Staff		
cc: Tenant		-

SAMPLE LETTER

SECOND NOTICE OF INSPECTION APPOINTMENT

Dear Owner:											
	etter ofwe notified you that the unit you own atwas scheduled for the required annual inspection under the										
terms of your housing assistance paprogram.	— ayments (HAP) contract for the housing choice	voucher								
The inspection was not made for th	ne following re	asons:									
No one was present to allow	w entry by the	inspector.									
You canceled the inspection	ı, and have fai	led to re-schedule the unit.									
You must contact	at	to reschedule th	ne inspection of								
the unit by no later than		Failure to re-schedule	the unit or to								
You must contact the unit by no later than allow entry on the appointed date w and te	ermination of t	eatement of your HAP payments enter the unit from the program on	effective								
If you have any questions, please											
contact	at	during the hours of	and								
, Monday through Friday.											
Sincerely,		•									
PHA Staff											
cc: Tenant Any other PHA staff needing	this information	on									

SAMPLE LETTER

DENYING REQUEST FOR INSPECTION

Dear Owner:			
	received a request to inspect temperate for participate for the following reasons:	he unit you own at ion in the housing choice	voucher program.
	you have a repeated history of ations of HQS at properties yo		ıles and regulations
this unit and they were	that you were notified to corre not made. This unit may not l as notice have been met.		
If you have questions,	you may contact	at	during the
	Monday through Frida		
Sincerely,			
PHA Staff			
cc: Prospective tenant	•		

SAMPLE LETTER

NOTICE - INITIAL INSPECTIONS

Dear Owner:
Please be advised that an inspection was made at the property that you own located at The unit has been proposed for participation in the
housing choice voucher program.
The result of the inspection was:
The unit meets HQS and has been approved for inclusion in the program. You will be notified byshortly of the procedures which must be followed in order to execute the lease and housing assistance payments contract.
The unit needs repairs to meet HQS. A list of those repairs is attached. We are unable to process this unit for lease under the program until all HQS requirements have been met.
Please contact this office at when the unit is ready for reinspection or if you have questions about this letter.
If we have not heard from you by, we will assume you do not intend to make the needed repairs and we will notify the prospective tenant to locate another suitable dwelling unit.
Sincerely,
PHA Staff
ce: Prospective tenant

Ехнивіт 10-7а

SAMPLE LETTER

NOTICE OF HQS DEFICIENCIES - TENANT (Annual or Special Inspections)

Dear Tenant:	
Please be advised that on property where you reside.	an HQS inspection was made at the
The unit requires repairs to meet HQS. A list of requ	ired repairs is attached.
These repairs must be completed byto schedule a re-inspection of the to make the corrections and/or schedule a re-inspectio	and you must telephone unit by Failure
result in the termination of your program assistance ef	fective
NOTICE: The PHA reserves the right to cite addition unit should conditions at the time of re-inspection war	nal violations upon re-inspection of the rant this.
Thank you for your cooperation.	
Sincerely,	
PHA Staff	
cc: Owner	
Other PHA staff needing to have this information	<i>d</i>

SAMPLE LETTER

SAMPLE NOTICE OF HQS DEFICIENCY - Owner (Annual, or Special Inspections)

Dear Owner:	
Please be advised that onown located at	an inspection was made at the property you
The unit needs repairs to correct HQS deficient. These repairs must be completed by schedule a re-inspection of the unit by	. You must telephone to
the specified time frames will result in abateme	repairs and/or have a re-inspection conducted by ent of your housing assistance payments on he HAP contract on
	dditional HOS violations upon re-inspection of
Thank you for your cooperation.	
Sincerely,	
PHA Staff	
cc: Tenant	

SAMPLE LETTER

NOTICE OF ABATEMENT

Dear Owner:
Onyou received a notice to correct HQS deficiencies at the unit you own located at
To date, you have not complied with the terms of the notice of violation. Effective your housing assistance payments for this unit will be abated. Termination of the HAP contract will occur on
If you have made the repairs and wish to have a re-inspection of the unit, you must do so by Provided the unit passes inspection by the date
established in this paragraph, we will resume your payments on and cancel the termination of the HAP contract. If you have any questions or we can be of assistance, please telephone
between the hours of and Monday through Friday.
Sincerely,
PHA Staff
cc: Tenant (PHA staff that need to know this).

DOCUMENTING QUALITY CONTROL INSPECTIONS

		1	 ., .	<u> </u>	J	 ,	· · · · · · · · · · · · · · · · · · ·	1		,		
Inspections Result							Afficial control of the control of t		marks.		and the state of t	
Date of Quality Control Inspection										·		
Original Inspector												
Date of Original Inspection												
Neighborhood or Zip Code							3			:		
Address of Unit		- Constant										

EMERGENCY INSPECTION LOG

Date Tenant Termination Processed			Tenant Telephone		
Date of Abatement			Tenant Name		,,
Reinspection Result	nspection)		Owner Telephone		
Reinspection Date	(These columns are necessary to track Emergency Inspection)		MO		
Date Written Notice Sent	are necessary to ta		Owner Address		
Tenant or Owner Violation	(These columns		ne	 	
Inspection Result			Owner Name		
Date of Inspection		ns include:	Zip Code		-
Umit Address	·	Optional columns include:	Unit or Tenant ID#		

Request for Proposal City of Scranton Homebuyer Program Property Code Standards And/or Housing Quality Standards Inspection Services

ATTACHMENT G

Inspection Checklist

Housing Choice Voucher Program

U.S. Department of Housing and Urban Development Office of Public and Indian Housing

OMB Approval No. 2577-0169 (Exp. 04/30/2014)

Public reporting burden for this collection of information is estimated to average 0.50 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. This agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless that collection displays a valid OMB control number.

Assurances of confidentiality are not provided under this collection.

This collection of information is authorized under Section 8 of the U.S. Housing Act of 1937 (42 U.S.C. 1437f). The information is used to determine if a unit meets the housing quality standards of the section 8 rental assistance program.

Privacy Act Statement. The Department of Housing and Urban Development (HUD) is authorized to collect the information required on this form by Section 8 of the U.S. Housing Act of 1937 (42 U.S.C. 1437f). Collection of the name and address of both family and the owner is mandatory. The information is used to determine if a unit meets the housing quality standards of the Section 8 rental assistance program. HUD may disclose this information to Federai, State and local agencies when relevant to civil, criminal, or regulatory investigations and prosecutions. It will not be otherwise disclosed or released outside of HUD, except as permitted or required by law. Failure to provide any of the information may result in delay or rejection of family participation.

Name of Family				Tenant II) Number		Date of Re	quest (mm/dd/yyyy)
Inspector				Neighbor	hood/Census Tract	······································	Date of Ins	pection (mm/dd/yyyy)
Type of Inspection								
Initial Special Reinspection					Date of Last Inspection (mm/dd/	yyyy)	PHA	
A. General Information								
Inspected Unit Year C	onstruc	ted (yy	'yy)				Housing	· · · · · · · · · · · · · · · · · · ·
Full Address (including Street, City, County, State, Zip)							Single Duplex Row Ho	e (check as appropriate) Family Detached or Two Family ouse or Town House
Number of Children in Family Under 6							Includin	se: 3, 4 Stories, g Garden Apartment se; 5 or More Stories
Owner								ctured Home
Name of Owner or Agent Authorized to Lease Unit Inspected Address of Owner or Agent				Phone N	umber		Congre Cooper	gate
B. Summary Decision On Unit (To be completed a	fter for	m has	heen f	illed out			i I	com Occupancy Housing
Pass Number of Bedrooms for Purposes Fail Inconclusive	Nu	ımber	of Sleep	ing Rooms	5			····
Inspection Checklist								
tem No. 1. Living Room	Yes Pass	No Fail	In- Conc.		Comment			Final Approval Date (mm/dd/yyyy)
1.1 Living Room Present							-	
1.2 Electricity								
1.3 Electrica! Hazards							···	
1.4 Security							Telum	
1.5 Window Condition								
1.6 Ceiling Condition								
1.7 Wall Condition								
1.8 Floor Condition								
Danida na 1984								

* Room Codes: 1 = Bedroom or Any Other Room Used for Sleeping (regardless of type of room); 2 = Dining Room or Dining Area; 3 = Second Living Room, Family Room, Den, Playroom, TV Room; 4 = Entrance Halls, Corridors, Halls, Staircases; 5 = Additional Bathroom; 6 = Other Item 1. Living Room (Continued) Yes No ln-Final Approval Pas Fail Conc. Comment Date (mm/dd/yyyy) 1.9 Not Applicable Lead-Based Paint Are all painted surfaces free of deteriorated paint? If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component? 2. Kitchen 2.1 Kitchen Area Present 2.2 Electricity 2.3 Electrical Hazards 2.4 Security 2.5 Window Condition 2.6 Ceiling Condition 2.7 Wall Condition 2.8 Floor Condition 2.9 Not Applicable Lead-Based Paint Are all painted surfaces free of deteriorated paint? If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component? 2.10 Stove or Range with Oven 2.11 Refrigerator 2.12 Sink 2.13 Space for Storage, Preparation, and Serving of Food 3. Bathroom 3.1 Bathroom Present 3.2 Electricity 3.3 Electrical Hazards 3.4 Security 3.5 Window Condition 3.6 **Ceiling Condition** 3.7 Wall Condition 3.8 Floor Condition Not Applicable Lead-Based Paint Are all painted surfaces free of deteriorated 3.9 paint? If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component? 3.10 Flush Toilet in Enclosed Room in Unit 3.11 Fixed Wash Basin or Lavatory in Unit 3.12 Tub or Shower in Unit 3.13 Ventilation

Item No. 4. Other Rooms Used For Living and Halls	Yes	No	In- Conc.	_	Final Approval
41 Room Code* and	Pass (C	ircle O		Comment (Circle One)	Date (mm/dd/yyyy)
Room Location L		/Cente		Front/Center/Rear Floor Level	
4.2 Electricity/Illumination					
4.3 Electrical Hazards					
4.4 Security					
4.5 Window Condition					
4.6 Ceiling Condition					
4.7 Wall Condition					
4.8 Floor Condition					
4.9 Lead-Based Paint				Not Applicable	
Are all painted surfaces free of deteriorated					
paint?		<u> </u>			1
If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component?					
4.10 Smoke Detectors					
4.1 Room Code* and Room Location		ircle O Center		(Circle One) Front/Center/Rear Floor Level	<u> </u>
4.2 Electricity/Illumination	1		1		
4.3 Electrical Hazards			-		
4.4 Security	-				<u> </u>
4.5 Window Condition	\vdash		1		
4.6 Ceiling Condition					
4.7 Wall Condition					
4.8 Floor Condition	 		1		
4.9 Lead-Based Paint			1	П	
Are all painted surfaces free of deteriorated				Not Applicable	
paint?					
If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component?					
4.10 Smoke Detectors					
4.1 Room Code* and Room Location	(C Right	ircle C /Cente	one) r/Left	(Circle One) Front/Center/RearFloor Level	
4.2 Electricity/Illumination					
4.3 Electrical Hazards					
4.4 Security					
4.5 Window Condition					
4.6 Ceiling Condition		••••••			
4.7 Wall Condition :					
4.8 Floor Condition					
4.9 Lead-Based Paint				District Application	
Are all painted surfaces free of deteriorated paint?			,	Not Applicable	
If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component?					***************************************

Item No.	4. Other Rooms Used For Living and Halls	Yes Pass	No Fail	in- Conc,	Comment	Final Approval
4.1	Room Code* and		le On	e)	(Circle One)	Date (mm/dd/yyyy)
	Room Location	Right	Cente	er/Left	Front/Center/Rear Floor Level	
4.2	Electricity/Illumination				THOU LEVEL	
4.3	Electrical Hazards			 		
4.4	Security					
4.5	Window Condition					
4.6	Ceiling Condition					-
4.7	Wall Condition					
4.8	Floor Condition					
4.9	Lead-Based Paint				Not Applicable	
	Are all painted surfaces free of deteriorated paint?					
	If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component?					
4.10	Smoke Detectors					
4.1	Room Code* and Room Location	(C Right/C	ircle C enter		(Circle One) Front/Center/Rear Floor Level	
4.2	Electricity/Illumination				Liggi revel	
4.3	Electrical Hazards					
4.4	Security					
4.5	Window Condition		****			
4.6	Ceiling Condition					
4.7	Wall Condition					
4.8	Floor Condition					
4.9	Lead-Based Paint				Not Applicable	
	Are all painted surfaces free of deteriorated paint?					
	If not, do deteriorated surfaces exceed two square feet per room and/or is more than 10% of a component?					
4.10	Smoke Detectors					
	5. All Secondary Rooms (Rooms not used for living)			I		<u> </u>
5.1	None Go to Part 6					
5.2	Security					
5.3	Electrical Hazards					
5.4	Other Potentially Hazardous Features in these Rooms					

Item No.	6. Building Exterior	Yes Pass	No Fail	In - Conc.	Comment	Final Approval Date (mm/dd/yyyy)
6.1	Condition of Foundation		<u></u>			
6.2	Condition of Stairs, Rails, and Porches					
6.3	Condition of Roof/Gutters	<u> </u>		 		
6.4	Condition of Exterior Surfaces			ļ		
6.5	Condition of Chimney					
6.6	Lead Paint: Exterior Surfaces				Not Applicable	
	Are all painted surfaces free of deteriorated paint?					
	If not, do deteriorated surfaces exceed 20 square feet of total exterior surface area?					
6.7	Manufactured Home: Tie Downs					
	7. Heating and Plumbing					
7.1	Adequacy of Heating Equipment					
7.2	Safety of Heating Equipment	_				
7.3	Ventilation/Cooling				, sustain market and a second a	
7.4	Water Heater					
7.5	Approvable Water Supply			<u> </u>		
7.6	Plumbing		i	İ		
7.7	Sewer Connection					
	8. General Health and Safety	*******************		· · · · · · ·		
8.1	Access to Unit					
8.2	Fire Exits					
8.3 1	Evidence of Infestation					
8.4	Garbage and Debris					
8.5	Refuse Disposal					
8.6	Interior Stairs and Commom Halls					
8.7	Other Interior Hazards				,	
8.8	Elevators					
8.9	Interior Air Quality				-	
8.10	Site and Neighborhood Conditions					
8.11	Lead-Based Paint: Owner's Certification				Not Applicable	

If the owner is required to correct any lead-based paint hazards at the property including deteriorated paint or other hazards identified by a visual assessor, a certified lead-based paint risk assessor, or certified lead-based paint inspector, the PHA must obtain certification that the work has been done in accordance with all applicable requirements of 24 CFR Part 35. The Lead -Based Paint Owner Certification must be received by the PHA before the execution of the HAP contract or within the time period stated by the PHA in the owner HQS violation notice. Receipt of the completed and signed Lead-Based Paint Owner Certification signifies that all HQS lead-based paint requirements have been met and no re-inspection by the HQS inspector is required.

C. Special Amenities (Optional) This Section is for optional use of the HA. It is designed to collect additional information about other positive features of the unit that may be present. Although the features listed below are not included in the Housing Quality Standards, the tenant and HA may wish to take them into consideration in Check/list any positive features found in relation to the unit. D. Questions to ask the Tenant (Optional) 1. Living Room 4. Bath I Special feature shower head

High quality floors or wall coverings Working fireplace or stove Balcony, patio, deck, porch Special windows or doors Exceptional size relative to needs of family Other: (Specify)	4. Bath Special feature shower head Built-in heat lamp Large mirrors Glass door on shower/tub Separate dressing room Double sink or special lavatory Exceptional size relative to needs of family
2. Kitchen	Other: (Specify)
Dishwasher Separate freezer Garbage disposal Eating counter/breakfast nook Pantry or abundant shelving or cabinets Double oven/self cleaning oven, microwave Double sink High quality cabinets Abundant counter-top space Modern appliance(s) Exceptional size relative to needs of family Other: (Specify)	5. Overall Characteristics Storm windows and doors Other forms of weatherization (e.g., insulation, weather stripping) Screen doors or windows Good upkeep of grounds (i.e., site cleanliness, landscaping, condition of lawn) Garage or parking facilities Driveway Large yard Good maintenance of building exterior Other: (Specify)
B. Other Rooms Used for Living High quality floors or wall coverings Working fireplace or stove Balcony, patio, deck, porch Special windows or doors Exceptional size relative to needs of family Other. (Specify)	Disabled Accessibility Unit is accessible to a particular disability. Disability Yes No

1. 2. 3. 4.	Does the owner make repairs when asked? Yes No How many people live there? How much money do you pay to the owner/agent for rent? \$ Do you pay for anything else? (specify)		
5 <i>.</i> 6.	Who owns the range and refrigerator? (insert O = Owner or T = Tenant) Range Is there anything else you want to tell us? (specify) Yes No	Refrigerator	Microwave
	· ·		

nant ID Number	Inspector	or each item v	which resulted	lin a rating of	"Fail" or "Pas:	s with Comments	s."		
iant to Maniber	inspector			Date of Inspi	ection (mm/dd/y	yyy) Address of In:	spected Unit		
e of Inspection	Initial	Special	Reinsped					···	
m Number			Reason for "F	ail" or "Pass v	vith Comment	s" Rating		·	
***************************************						<u> </u>	· · · · · · · · · · · · · · · · · · ·		
					······································				

Continued on additional page